The Institute of Physics and The Physical Society

Officers and Members of the Council 1968-69

President
M R Gavin CBE, D.Sc, FIEE, F.Inst.P

Immediate Past President
Sir James Taylor MBE, D.Sc, F.Inst.P

Vice Presidents
B R Coles D.Phil
J V Dunworth CBE, MA, Ph.D, FIEE, F.Inst.P
Sir David Follett Ph.D, F.Inst.P
A D I Nicol Ph.D, F.Inst.P

Honorary Secretary
P T Menzies MA, F.Inst.P

Honorary Treasurer
R Press CBE, Ph.D, F.Inst.P

Ordinary Members of Council
P F Chester Ph.D
S F Edwards Ph.D, FIMA, F.Inst.P, FRS
P B Hirsch Ph.D, F.Inst.P, FRS
C A Hogarth Ph.D, F.Inst.P
A J Kennedy D.Sc, MIEE, FIM, F.Inst.P
J W Menter MA, Ph.D, Sc.D, F.Inst.P, FRS
J E Roberts D.Sc, F.Inst.P
L A A Thomas B.Sc, F.Inst.P

Representing Branches
K W Hillier Ph.D, F.Inst.P
D H Parkinson Ph.D, F.Inst.P

Permanent Officers

Secretary
L Cohen Ph.D, F.Inst.P

Assistant Secretaries
P L Flowerday B.Sc, A.Inst.P
C I Pedersen FIL, MIPR (Managing Editor)

Administrative Officers
Miss D G Mayston (Editorial Office)
N Walter BA (Headquarters)

Finance Officer
R H Mason

Meetings Officer
L Lawrence

Registrar
R G Roberts BA

Assistant Editors
Miss H Carcas
Miss M A Charney B.Sc
S Donohoe BA
K F G Paulus Ph.D

Journal of Scientific Instruments

Honorary Editor and Chairman of the Editorial Board
Professor J Ring Ph.D, F.Inst.P

Editorial Board
S Bradbury D.Phil
Professor R Barer MC, MA, B.Sc, MB, BS
T P Flanagan M.Sc., F.Inst.P
Professor J D McGee OBE, M.Sc., Ph.D, F.Inst.P, FRS
R J King M.Sc., Ph.D, A.Inst.P
D A Patient B.Sc., F.Inst.P
J R Stansfield MA, F.Inst.P
J McA Steele B.Sc.(Eng)

The Institute of Physics and The Physical Society

Officers and Members of the Council 1968-69

President
M R Gavin CBE, D.Sc, FIEE, F.Inst.P

Immediate Past President
Sir James Taylor MBE, D.Sc, F.Inst.P

Vice Presidents
B R Coles D.Phil
J V Dunworth CBE, MA, Ph.D, FIEE, F.Inst.P
Sir David Follett Ph.D, F.Inst.P
A D I Nicol Ph.D, F.Inst.P

Honorary Secretary
P T Menzies MA, F.Inst.P

Honorary Treasurer
R Press CBE, Ph.D, F.Inst.P

Ordinary Members of Council
P F Chester Ph.D
S F Edwards Ph.D, FIMA, F.Inst.P, FRS
P B Hirsch Ph.D, F.Inst.P, FRS
C A Hogarth Ph.D, F.Inst.P
A J Kennedy D.Sc, MIEE, FIM, F.Inst.P
J W Menter MA, Ph.D, Sc.D, F.Inst.P, FRS
J E Roberts D.Sc, F.Inst.P
L A A Thomas B.Sc, F.Inst.P

Representing Branches
K W Hillier Ph.D, F.Inst.P
D H Parkinson Ph.D, F.Inst.P

Permanent Officers

Secretary
L Cohen Ph.D, F.Inst.P

Assistant Secretaries
P L Flowerday B.Sc, A.Inst.P
C I Pedersen FIL, MIPR (Managing Editor)

Administrative Officers
Miss D G Mayston (Editorial Office)
N Walter BA (Headquarters)

Finance Officer
R H Mason

Meetings Officer
L Lawrence

Registrar
R G Roberts BA

Assistant Editors
Miss H Carcas
Miss M A Charney B.Sc
S Donohoe BA
K F G Paulus Ph.D

Journal of Scientific Instruments

Honorary Editor and Chairman of the Editorial Board
Professor J Ring Ph.D, F.Inst.P

Editorial Board
S Bradbury D.Phil
Professor R Barer MC, MA, B.Sc, MB, BS
T P Flanagan M.Sc., F.Inst.P
Professor J D McGee OBE, M.Sc., Ph.D, F.Inst.P, FRS
R J King M.Sc., Ph.D, A.Inst.P
D A Patient B.Sc., F.Inst.P
J R Stansfield MA, F.Inst.P
J McA Steele B.Sc.(Eng)

Contents Series 2 Volume 1

January 1968

Editorial 1

Review Articles
The development of the microscope during the last fifty years
S Bradbury **3**

Papers
An improved super-regenerative spectrometer for nuclear quadupole resonance spectroscopy J A S Smith and D A Tong **8**
A cryostat for use with a torque magnetometer down to 4·2°K R R Birss, J I Gibbs and P M Wallis **15**
The comparison between a special shift register and a scaler for derandomization C H Vincent **22**
An optical method of measuring transverse surface velocity W O Agar and J H Blythe **25**
A new preparation technique for examination of polymers in the scanning electron microscope J Sikorski, J S Moss, P H Newman and T Buckley **29**
A radio frequency dielectric sputtering system with non-grounded electrodes L Holland, T Putner and G N Jackson **32**
The operation and calibration of a miniature turbine flowmeter with gases at low rates R M Edge **35**
Improved boilers for the ebulliometric determination of vapour pressures D Ambrose **41**
A suspended disk vacuum gauge A R Beavitt, D S Campbell and B N Chapman **45**
The influence of positioning errors on susceptibility measurement by the Faraday method G J Hill **52**

Notes on Experimental Technique and Apparatus
A carbon furnace infra-red source J L Hunt and R G Winkel **55**
A substrate heater for use in the vacuum deposition of thin films C J Robbie and C T H Stoddart **56**
A simple method for calibration of noisy nuclear magnetic resonance signals R H Dean and R J Furley **57**
A simple thyristor furnace controller W J Duncan **58**
Electron bombardment luminescence stage for optical microscopy P R Harmer, S D Ford and R A Dugdale **59**
An improved method of sealing the compression capillary of a McLeod gauge G R Reid **60**
Further studies of the constant temperature hot-wire anemometer J C Wyngaard and C M Sheih **61**
A long wave radiation source for net pyrradiometer calibration B G Collins **62**
Phase-lock circuit for a 100 MHz nuclear magnetic resonance spectrometer A Charles **64**
A humidity control system for a small chamber N L Cross **65**
A novel application of parallel strip hinges L J Coates and P Smith **68**

Letters to the Editor
Correction to test header arrangement for determining the speed of pumps using an orifice type impact pressure transducer
W Steckelmacher and D J Turner **70**

Book Reviews 72

February 1968

Review Articles
Fifty years of measurement standards A H Cook **73**
The Sheffield University v.l.f. experiment on the satellite Ariel 3 K Bullough, A R W Hughes, T Hudson, D Hickinson, P Broomhead and P Tomlinson **77**

Papers
A transistorized control unit for accurate gas-pressure measurement with strain-gauge pressure transducers A B Ayling **86**
Performance of a high sensitivity liquid scintillation whole-body counter C F Barnaby and B M Jasani **91**
Absolute standardization with liquid scintillation counters J A B Gibson and H J Gale **99**
A simple instrument for the measurement of fine scale structure of temperature and humidity, and hence also the refractive index, in the troposphere D T Gjessing, C Holm, T Lanes and A Tangerud **107**
A low temperature system for automatic single crystal diffractometry G Abowitz and J Ladell **113**
Comparison of tips, thin wires and sharp metal edges as emitters for field ionization mass spectrometry H D Beckey, H Krone and F W Roellgen **118**
An electron microscope liquid helium stage for use with accessories J A Venables, D J Ball and G J Thomas **121**
An improved mobile unit for the dynamic testing of pavements W Heukelom, A J G Klomp and Th W Niesman **127**
An improved intra-cavity reflecting element for gas laser Q control L Allen, D G C Jones and M D Sayers **133**

Notes on Experimental Technique and Apparatus
Probe current stability in electron-probe microanalysis S J B Reed **136**
Simple photographic equipment for borehole surveying J C Jaeger and K J Rosengren **139**
Automaticité de la mesure d'une résistance variable – application à la détermination du niveau d'une colonne de mercure R Zalma, M Guérin et J Fraissard **141**
Optimum noise filter for d.c. measurements P R Samways **142**
Dispersion of 1 Å x rays with NPL x-ray gratings A Franks and K Lindsey **144**

A bakeable and direct joint between a fused quartz tube and a metal tube L Verheyden, K Klein and H Kind **145**
Instrumental response time corrections in fluorescence decay measurements I H Munro and I A Ramsay **147**
A low inertia hot–cold microscope stage R G Loasby **148**
The dipped cathode arc: a simple stable radiation source for line reversal temperature measurements D L Thomas **150**
A resistance thermometer for measuring air temperatures J Raja and P E Sankaranarayanan **150**
Two types of sample holder for the Philips PW 1064 sample spinning device used in PW 1050 x-ray diffractometer E Ho-Tun and A J Rossouw **151**
A method for the measurement of small shifts of the resonance frequency of a microwave cavity A Vermeer and A A Ravestein **152**
A technique for ion-trapping in pulsed-source mass spectrometry A J Bourne and C J Danby **155**
Protection of low power r.f. oscillators against changes in matching conditions J Ecceleshall **155**

Corrigendum
Dynamic viewing of high power CO_2 laser modes J E Stovell **156**

Owing to a printing error the March issue commenced on page 257 instead of page 157. Because of this pages 157–256 are not used in the volume.

March 1968

Review Articles
Development of meteorological observing techniques in the satellite and computer age B J Mason **257**
Meteorological instrumentation I: basic considerations and some recent developments in surface instrumentation N E Rider **265**
Meteorological instrumentation II: routine instruments for upper air observations A H Hooper **272**
Meteorological soundings in the earth's higher atmosphere R Frith **278**

Papers
A wide range digitizer for direct coupled analogue signals D N MacLennan and F H Wells **284**
Quantitative measurement of electron probes by the shadow projection method and its application to a microfocus x-ray unit K Kanaya, H Yamazaki, Y Takano and M Kobayashi **289**
Automatic jet thinning of GaAs for transmission electron microscopy M J Hill, D B Holt and B A Unvala **301**
The measurement of the width of a Gaussian light beam D H Thompson and L H Tanner **303**
A fully compensated versatile spectrofluorimeter R B Cundall and G B Evans **305**
An apparatus for the measurement of the normal and off-normal spectral emissivity of incandescent materials L K Thomas **311**
A small volume orbitron gauge with stable ion current characteristics R K Fitch and W J Thatcher **317**
A fast recovery probe and receiver for pulsed nuclear magnetic resonance spectroscopy I J Lowe and C E Tarr **320**
A permanent magnet for a nuclear magnetic resonance spectrometer E Boltezer, M Petrinović and M Sedlaček **323**
An investigation of the energy gain in Bennett's radio-frequency mass spectrometer V Martišovitš and Š Szarka **326**
A filament current regulator for solid source mass spectrometers J G Ables and G H Riley **329**
Temperature measurement of aluminium on an extrusion press using the new BACO radiation pyrometer D D Beattie **332**
An experimental arrangement for direct high-strain fatigue tests at elevated temperatures T Cook and G Cavill **337**
Absolute measurement of high voltage by a null method using strain gauges T E Broadbent **341**
An instrument for measuring the mean surface profile of seal faces B A Batch, B T Goldring and P E Winney **344**
Low voltage transistor-switched capacitor bank for determining pulsed magnetic field distributions G C H Heywood and H A B Bodin **347**

Notes on Experimental Technique and Apparatus
The preparation of potassium–antimony–caesium photocathodes R Nathan and C H B Mee **351**
The piezoelectric control of spring strip mounts R F Edgar **352**
Further properties of the balance detector electron spin resonance T H Wilmshurst **353**
A method for obtaining a mismatch in moiré observations by means of a diffraction effect V Vincentini **354**
A foot-operated electric drive for the rotating-tilting stage of the EM-200 electron microscope F J Fraikor, D B Prochazka and V K Grotzky **355**
A system for protecting variable temperature nuclear magnetic resonance probes against damage by overheating A Heathcote **356**
A mask to make tartan carbon films for electron microscopy A Fursey **357**
Sample holders for solution calorimetry A G Turnbull **358**
A greaseless valve for use in mercury reservoirs T Ishida and J Bigeleisen **359**
Quartz working with a CO_2 laser E K Pfitzer and R Turner **360**
A clock-driven dry aspirator V Timbrell **361**
A fascia technique for float-zone metal crystals I A Bucklow and J F Wilson **363**
Improvement of the resolution and transmission of a toroid-sector type beta spectrometer D Berényi, D Varga, I Buday, L Varga and A Szalay **364**
A method of flatness control in optical polishing C S Dickinson **365**
A simple heating arrangement for use in neutron scattering experiments S J Cocking, R C McPhee and C D Wignall **367**

Corrigendum
A new infra-red radiation pyrometer R S Young **368**

April 1968

Review Articles
Nuclear instruments over the last fifty years K Kandiah **369**

Papers
On the suitability of liquid semiconductors for resistance thermometry in nuclear reactors J T Edmond, J C Male and P F Chester **373**
Application of the pulse method to a specific heat and density independent measurement of thermal conductivity: extension of the method to very small specimens R A di Novi **379**
A magnetostrictive instrument for measuring the viscoelastic properties of liquids in the frequency range 20–100 kHz G M Glover, G Hall, A J Matheson and J L Stretton **383**
An automatic compensated torque balance for the measurement of magnetic anisotropy in the broad temperature range from the helium temperature upwards R Gerber and F Vilím **389**

An automatic scanning Fabry–Pérot etalon using multichannel digital data storage D A Jackson and E R Pike **394**
On some features of a new electron emission microscope A Delong and V Drahoš **397**
A psychrometer radiosonde developed for determining radio refractive index as a function of height M P M Hall and G W Gardiner **401**
A parallel-plate photoelectron spectrometer J D H Eland and C J Danby **406**
A three-channel astronomical photoelectric spectropolarimeter D Clarke and R N Ibbett **409**
A three-colour quantitative schlieren system H Phillips **413**
The effect of the dimensions of an omegatron on its performance B W Petley and K Morris **417**
A technique for measuring small, fast changes in resistance D Anderson, J M Anderson and A H Seville **423**
An apparatus with electrostatically driven vibrating condenser for contact potential measurements E Weissmann, Ch Petrescu and D Tarină **426**
Measurement of permittivity of some biological solutions at frequencies below 1 MHz S E Young and E H Grant **429**
A method of recording pulmonary ventilation J A Reynolds **433**
Mechanical stresses in bonded plane helical solenoids with arbitrary external field P O Carden **437**
A three point bend tester for strong fibres M R Piggott **444**
Traversing orifice hot-wire probe pair for use in wall pressure correlation measurements J A B Wills **447**
An analogue-to-digital converter for chart records M J Goodspeed and J V Savage **451**
Q-meter measurements of nickel catalyst beds J T Richardson **456**
Apparatus for continuous flow mixing of explosive gases M M Kamel, E Lundstrom and A K Oppenheim **459**
Stripping thin oxide films from metals T G Dye, A Fursey, G O Lloyd and M Robson **463**
Heater circuits for calorimetry I M Firth and H H van Mal **465**

Notes on Experimental Technique and Apparatus
A method of sizing imaged spheres R G Dingley and R J Seward
Two optical methods of measuring model incidence in a wind tunnel E R Johnson **468**
Apparatus for measuring thermoelectric powers of semiconductors from 77 to 660°K T M Baleshta and D W Carson **469**
Modification to the Perkin–Elmer reflectance attachment for studying powders G R Hunt and R K Vincent **470**
Shutter attachment for photographically aligning a Weissenberg camera A Whitaker **471**
The production of a lenticular stereogram from a hologram G L Rogers **473**
A simple low-temperature goniometer head S W Hui **474**
A travelling microscope unit with semi-automatic digital output C J Wood **475**
Air cooling for a neodymium-in-calcium tungstate laser D A Bateman and D E Killick **476**
Fast infra-red light pulse generator P Leclerc and M Voos **478**
A low-luminance standard source covering four orders of magnitude E R Johnson **479**
A method of measuring vibratory displacements in terms of a light wavelength J L Goldberg **481**
Pump for circulation of aqueous electrolytes R Mills and R J Boland **483**
A method of measuring ion beam profiles H Inouye and A J H Boerboom **484**
A photoelectric tachometer Kouyu Miyazaki **486**
Estimation of small effective gap length beyond recording resolution in magnetic data recording systems H S C Wang **487**
Thermoelectric potentials for a tungsten-tantalum thermocouple from 0 to 420°C L V Feigenbutz **489**
A dual range manometer J T Lloyd **490**
A technique for cutting disks from sheet gold J A Eades and K G McIntyre **491**
A simple system for proportional heat regulation J van Overbeeke **491**
A plug-in transistorized shunt regulator P T Rudge **493**
A velocity-sensitive vibration transducer using air suspension H A H Griffiths **494**
Tensile apparatus for measurements at very high temperatures C A Brookes, J H Greenwood and J L Routbort **495**
High temperature contact electrode for ferrites A Dixon and D Elwell **497**

Abridged Notes 499

Book Reviews 500

May 1968

Review Articles
Early Days of the Journal of Scientific Instruments H Barrell **501**
Thermal methods of flow measurement P Bradshaw **504**

Papers
A computer-linked cathode-ray tube microdensitometer for x-ray crystallography U W Arndt, R A Crowther and J F W Mallett **510**
A study of fringe clarity in laser interferometry and holography L H Tanner **517**
An inexpensive bakeable quadrupole mass spectrometer D Smith and P R Cromey **523**
A triple-axis spectrometer for neutron inelastic scattering I Chumbley, R F Dyer and D E Wallis **528**
A new measure of the sensitivity of electron spin resonance spectrometers J J ten Bosch **531**
A rapid response radiometer for the estimation of mean radiant temperature in environmental studies M Lidwell and D P Wyon **534**
An adiabatic calorimeter for the measurement of the internal energy of water and water vapour S C G Schulz **539**
The production of pulsed megagauss fields by compression of the metallic cylinder in Z-pinch configuration S G Alikhanov, V G Belan, A I Ivanchenko, V N Karasjuk and G N Kichigin **543**
A method of measuring the piezoresistance effect in semiconductors M J Chappell and R H Jones **546**
A cell for ultrasonic cavitation experiments G Iernetti and A Barattini **549**
A coherent amplifier V B Gerard **552**
An apparatus for obtaining extremely large heat flux densities L C Witte, M B Silverman, R O Ivins and L Baker Jr **555**
A replica technique for measuring incremental slip step heights M P E Desvaux **558**

Notes on Experimental Technique and Apparatus
Simple automatic magnetic roller gas mixing device K G McLaren and W T Williams **561**
Two flowmeters using electronic timing B J Bailey, J A Ferguson and J Ll Moses **562**
A versatile gas/liquid valve A J Arnold **563**
A simple transmission-to-extinction converter H Rasmussen and S Brovang **564**

A rotating device for use in metallizing non-conducting scanning electron microscope specimens E H Boult and E J Brabazon **565**
A versatile electronic on–off controller R F Cane **566**
A short-duration spark light source C J S M Simpson, K B Bridgman and T R D Chandler **568**
A high current mains frequency synchronous switch J E Harry and P J W Rayner **570**
Use of tin (II) oxide coated glass for electrical analogues of electrochemical systems D C Mears **572**
A low-pressure mercury porosimeter for measuring macropores C J Leppard and D H T Spencer **573**
The optimization of magnet windings to produce uniform transverse fields M N Wilson **575**
Micromesh sieve analysis using high frequency ultrasonic vibrations D F C Crawley **576**
A high speed quenching apparatus using mercury as a quenching medium J H Evans and B L Eyre **578**
The cooling of crystals in x-ray crystallography J A Hardy **580**
A fast sorption pump for the 10–150 mtorr region D M Creek, R Petty and N Jonathan **582**
A sensitive thermometer F J Maher **584**
Methacrylate adhesive for mounting crystals for x-ray examination T R Manley and R E Oughtred **585**

Abridged Notes 587

Book Reviews 588

June 1968

Review Articles
Spectrograph Design, 1918–68 R C M Learner **589**

Papers
Stroboscopic scanning electron microscopy G S Plows and W C Nixon **595**
An image intensifier for the electron microscope K Anderson **601**
A high-power, untuned radio-frequency transmitter for pulsed nuclear magnetic resonance spectroscopy I J Lowe and C E Tarr **604**
An X-band electron spin resonance spectrometer with a ruby maser preamplifier R J Collier, M A Collins and D G Moss **607**
Field ionization mass spectrometry with a modified MS9 spectrometer J D Emmerson and B E Job **611**
Radial gratings as moiré gauges P S Theocaris **613**
Curvature distributions defined by frequency modulated amplitude gratings P S Theocaris **619**
A simple ionic flowmeter for measuring very small rates of flow air W M Jones, D Maidment and D V Morgan **623**
A comparison of experimental and theoretical C_s values for some probe-forming lenses R L Barnes and I K Openshaw **628**
A laser technique for the measurement of aerosols T D Proctor **631**
A device for the control of particle size in the La Mer aerosol generator J Edwards and B J Brinkworth **636**
An application of beta-conductivity to measurement of resistivity distribution C Munakata **639**
A simple ruling engine for x-ray gratings V W Stanley, A Franks and K Lindsey **643**
A method for automatically plotting secondary emission yield curves H Aspden **646**
A transmission microscope polariscope for photoelastic analysis D J White and A S Tickner **649**
A diametral extensometer for elevated temperature high strain fatigue G Sumner **652**
A split ring annular shear cell for the determination of the shear strength of a powder B Scarlett and A C Todd **655**
An oil manometer with continuous electrical readout G Sidenius **657**
An acoustic power measuring device C J Moore and A J Ellison **659**

Notes on Experimental Technique and Apparatus
Apparatus to measure metal–oxide–silicon capacitance at very low frequencies N S Clayton **662**
A radial disk meter for measurement of heat flux in domestic coal-fired boilers W H Newton and P W Jenkins **664**
High-vacuum valve for shock-tube application I G Crow **666**
A palladium–hydrogen probe electrode for use as a micro-reference electrode M Fleischmann and J N Hiddleston **667**
Wavelength dependence of the distribution of relative sensitivity over the photocathodes of RCA photomultipliers type 4440 J M Vreux and G Marette **668**
An x-radiation protection shield for the Phillips texture goniometer attachment F G Huggins and G J Green **668**
The production of 15 μm liquid hydrogen droplets B A Powell and C D King **670**
Magneto-optic observation of magnetic domains in high coercivity films J Carney and A Green **671**
An accelerometer calibrator for the low-frequency large-displacement range K M O'Toole and B H Meldrum **672**
The thinning of tungsten carbide–cobalt hard metals to electron transparency by electropolishing B Lehtinen **673**
Anti-parallax device for observation of moiré fringes A Luxmoore **674**
Measurement of interference fringe separation by a moiré technique G Kylberg **676**
Use of an undamped galvanometer as low frequency bandpass filter in lock-in amplifiers G Gallinaro, L Meneghetti and D Pescetti **678**
Simple projecting device for observing cathode operation in a plasma-arc torch M Nachman and D Romalo **679**
Modulation systems for galvanometer controlled temperature E Van Outryve and R Jacobs **679**
A high-temperature vacuum sample holder for the Kratky camera R W Gould and R W Hendricks **681**
Accurate temperature matching in calorimetry R Sauer **682**
High temperature sample furnace for the Cary 14R spectrophotometer C B Root **683**
Another simple flood protection device for cooling systems R L Hartman **684**
A simple meter for measurement of low velocities in waterflow D L Wilkinson **685**
A comparative method of checking angles on glass samples D W Harper **687**
A low-impedance high-voltage nanosecond pulser G Bauer and H Heinrich **688**
An improved form of mercury manometer F Akerboom and H H van Mal **689**
A goniometer for aligning large single crystals prior to cutting D M Jefkins and R E Hines **690**
A vapour thermostat and sample holder for simultaneous x-ray and gas sorption studies R J Nash and M J B Evans **691**
Accurate determination of lattice parameters on air-sensitive compounds I E Grey and P W Smith **693**

Letters to the Editor
The comparison between a special shift register and a scaler for derandomization J R Kemplay and P Vernon: C H Vincent **694**

Subject Index Series 2 Volume 1

(N) denotes Note on Experimental Technique and Apparatus, (L) Letter to the Editor

Accelerometer calibrator for the low-frequency large-displacement range (N) 672
Acoustic aspect of the Procopiu effect in a ferromagnetic sample free at one end (N) 960
Acoustic power measuring device 659
Adhesive bonded joints, torsion apparatus for measuring shear properties 829
Aerosol generator, La Mer, device for the control of particle size 636
Aerosols, measurement by laser technique 631
Air cooling for a neodynium-in-calcium laser (N) 476
Air-sensitive compounds, accurate determination of lattice parameters (N) 693
Air temperature measured by resistance thermometer (N) 150
Alloy, null-matrix, for neutron diffraction (N) 945
Aluminium, temperature measurement on an extrusion press using BACO radiation pyrometer 332
Amplifier, coherent 552 (L) 1262
Amplifier, lock-in, use of undamped galvanometer as low frequency bandpass filter (N) 678
Amplifier, low-noise, for indium antimonide infra-red detectors (N) 952
Analogue circuit for accurate evaluation of small power inputs in microcalorimetry (N) 1024
Analogue circuit, versatile, based on novel method of division 1217
Analogue-to-digital converter for chart records 451
Analogue signals, direct coupled, for wide range digitizer 284
Analogy, electrical, for nonlinear fields 1090
Analyser, statistical, with up-dated histogram display 825
Anemometer, constant temperature hot wire (N) 61
Anemometer probe, hot wire, simple (N) 874
Angles on glass samples, comparative method of checking (N) 687
Anisotropy *see* Magnetic anistropy
Arc lamp, dipped cathode: simple stable radiation course for line reversal temperature measurements (N) 150
Aspirator, dry, clock-driven (N) 361
Astronomical instrumentation during the last fifty years 1141
Astronomical photoelectric spectropolarimeter, three-channel 409
Atomic beam ovén with very low associated magnetic field (N) 1245
Autoclave, internally heated, for work up to 4·5 kb and 1600°c (N) 1240

Balance *see also* Microbalance, Thermobalance
Ballistic technique, differential for sensitive magnetization, measurements on ferromagnets, at low temperatures 1188
Beam *see under* Atomic beam, Ion beam
Bend tester, three point, for strong fibres 444
Beta-conductivity, application to measurement of resistivity distribution 639
Beta spectrometer, toroid sector type, improvement of resolution (N) 364
Biological solutions, measurements of permittivity at frequencies below 1 MHz 429
Biomedical instrumentation at the Physics Exhibition 802
Blood flowmeter, electromagnetic 1146
Boilers for the ebulliometric determination of vapour pressures 41
Borehole surveying, simple photographic equipment (N) 139
Bridge, photosensitive transformer, for the analysis of powder mixtures (N) 778
Bridge, susceptibility, simple direct reading (N) 781
Buffer (power amplifier) for driving pen recorders (N) 962

Calorimeter, adiabatic, for the measurement of internal energy of water and water vapour 539
Calorimeter, differential, for the measurement of heats of solution at high dilutions 940
Calorimeter, high flow-rate, for ion beam intensity measurements (N) 1032
Calorimeter, laser-cone, calibration (N) 1022
Calorimetry, accurate temperature matching (N) 682
Calorimetry *see also* Microcalorimetry
Camera, back-reflection focusing, with point source displaced from focusing circle, geometry of instrumental x-ray diffraction linewidth (N) 877
Camera, back-reflection focusing, for x-ray structural analysis of polycrystals (N) 876
Camera, Kratky, high-temperature vacuum sample holder (N) 681
Camera, multiple-beam storage, image tube framing, time dispersion effects 702
Camera, x-ray diffraction, for fast recording of three-dimensional data (N) 869
Camera *see also* Weissenberg camera
Calorimetry, heater circuits 465
Calorimetry, solution, sample holders (N) 358
Capacitance, metal–oxide–silicon, apparatus for measurements at very low frequencies (N) 662
Capacitor bank, low voltage transistor-switched, for determining pulsed magnetic field distributions 347
Carbon dioxide: calibration of infra-red gas analysers 1003
Carbon films, tartan, for electron microscopy, mask for making (N) 356
Catalyst beds, nickel, *Q*-meter measurements 456
Cathode arc, dipped: simple stable radiation source for line reversal temperature measurements (N) 150
Cathode operation in a plasma-arc torch, simple projecting device for observation (N) 679
Cavitation experiments, ultrasonic cell 549

Cell for ultrasonic cavitation experiments 549
Chart records, analogue-to-digital converter 451
Chemical analysis, by physical methods, at the Physics Exhibition 801 corr. 1139
Ciné record, still stroboscopic viewing 819
Circuit, analogue, for accurate evaluation of small power inputs in microcalorimetry (N) 1024
Circuitry, solid state, for a microdifferential thermal analyser 1116
Coil counter, automatic recording, for monitoring growing populations, of unicellular micro-organisms 861
Coils, thin film, technique for preparation (N) 969
Cold trap, controlled temperature (N) 871
Colorimeter, Unicam, use of interference filters (N) 886
Communications by gallium arsenide laser array (N) 788
Computer of average transients, method of synchronizing the frequency sweep of an n.m.r. spectrometer to the memory scan (N) 966
Computer fixed store, random access, optical 810
Computer indexing of x-ray and neutron powder diffraction patterns of cubic, tetragonal, orthorhombic and hexagonal structures (N) 951
Computer-linked cathode-ray tube, microdensitometer for x-ray crystallography 510
Condenser, electrostatically driven vibrating, for contact potential measurements 426
Contact potential measurements, apparatus with electrostatically driven vibrating condenser 426
Contamination monitoring, on-line, by fluorescence trace detector 815
Controller, versatile electronic on–off (N) 566
Converter, transmission-to-extinction (N) 564
Cooling systems, flood protection device (N) 684
Cores, spiral tape, flux pattern (N) 780
Counter, liquid scintillation, absolute standardization 99
Counter, whole-body liquid scintillation of high sensitivity, performance 91, (L) 695
Creep rates in the range 10^{-7} min^{-1}, simple apparatus for measuring at 77°K (N) 954
Cryogenics at the Physics Exhibition 808
Cryostat, liquid cell, with thermistor amplifier feedback control for use with n.m.r. spectrometers (N) 1253
Cryostat, simple glass immersion, for low-temperature optical studies (N) 944
Cryostat for use with a torque magnetometer down to 4·2°K 15
Crystal growth by liquid epitaxy solid-state linear ramp generator 921
Crystal puller, slow-rate, for seeded growth from a flux (N) 970
Crystals, float-zone metal, fascia technique (N) 363
Crystals, methacrylate adhesive, for mounting for x-ray examination (N) 585
Crystals of rocksalt, apparatus for repeated cleavage in ultra-high vacuum (N) 1127
Crystals *see also under* Single crystal
Crystallography *see* X-ray crystallography
Curie point temperatures, r.f. method for determination (N) 1136
Current regulator, filament for solid source mass spectrometers 329
Curvature distributions defined by f.m. amplitude gratings 619

Damping capacity in vibrating samples, timing device 1214
Damping factor, experimental determination by the decaying amplitude method (N) 1252
Data logger, two channel (N) 793
Data storage, multichannel digital, using an automatic scanning Fabry–Pérot etalon 394
Deflection of an oscillating bar, measurement by a millimetre wave interferometer (N) 783
Delay unit, general purpose, and its application to kinetic flash photolysis spectroscopy (N) 792
Densitometer *see* Microdensitometer
Density, superficial, of thin self-supporting metal films, measurement by electron transmission (N) 1032
Detectors, infra-red, indium antimonide, low-noise amplifier (N) 952
Deuterium plasma cloud, suitable targets for production in a vacuum environment with a laser pulse (N) 1039
Dewar vessel for spectroscopic measurements at controlled temperatures down to 77°K (N) 872
Diaphragm cell method for diffusion measurements at temperatures up to 60°C 1101
Dielectric r.f. sputtering system with non-grounded electrodes 32
Differential thermal analysis combined with thermogravimetric analysis, Stanton thermobalance (N) 1025
Diffraction effect used for obtaining a mismatch in moiré observations (N) 354
Diffraction measurements with the electron microscope 907
Diffraction *see also under* X-ray, Neutron
Diffractometer, x-ray, two types of sample holder for sample spinning device (N) 151
Diffractometry, automatic single crystals, low-temperature system 113
Diffusion measurements at temperatures up to 60°C, diaphragm cell method 1101
Diffusion pump backstreaming, measurement by cooled quartz crystal microbalance (N) 774
Digital recording mechanism for linear displacements (N) 1237
Digital recording system for Fourier transform spectrometry 745
Digitizer, wide range, for direct coupling analogue signals 284
Disks, technique for cutting from sheet gold (N) 491
Displacement, capacitive, with high accuracy and resolution 817
Displacement, small, magnified interferometric measurements (N) 948
Displacement meter, capacitance type (N) 885
Displacement transducer, thermally operated (N) 884
Distillation column for anhydrous hydrogen flouride (N) 770
Doppler shift in scattered laser light, used to measure turbulent velocities 727
Drop of known size, apparatus for accurately projecting with a given velocity (N) 1130
Droplets of liquid hydrogen, 15 μm, production (N) 670
Dynamic testing of pavements, improved mobile unit 127

Editorial 1
Electric drive, foot operated, for the rotating–tilting stage of an electron microscope (N) 355
Electrical analogues of electrochemical systems, use of tin (II) oxide coated glass (N) 572
Electrical analogy for nonlinear fields 1090
Electrical bombardment luminescence stage for optical microscopy (N) 59
Electrical measurement at the Physics Exhibition 804
Electrical resistance *see under* Resistance
Electrical sheet steel, accuracy and repeatability of volt–ampere measurements at high flux densities (N) 881
Electrochemical systems, use of tin (II) oxide coated glass for electrical analogues (N) 572
Electrode, high temperature contact, for ferrites (N) 497

Electrode, palladium–hydrogen probe, for use as a microreference electrode (N) 667
Electrolytes, aqueous, pump for circulation (N) 483
Electrolytic grinding machine (N) 1023
Electromechanical uncapping shutter 813
Electrometer, quadrant, measurement of frequency (L) 1261
Electron beam, low energy scanned, potential probe 1179
Electron emission microscope, new 397
Electron lenses, magnetic, pole piece saturation 1081
Electron miscroscope: diffraction measurements 907
Electron microscope, foot operated electric drive for the rotating tilting stage (N) 355
Electron microscope, image intensifier 601
Electron microscope, JEM 6 and 7 tilting device for use at liquid nitrogen temperatures (N) 1250
Electron microscope, JEM 7 calibration of magnification, camera constant and image rotations 851
Electron microscope, liquid helium stage for use with accessories 121
Electron microscope, scanning, new preparation technique for examination of polymers 29
Electron microscope, scanning: rotating device for use in metallizing non-conducting specimens (N) 565
Electron microscope, scanning, voltage measurement 902
Electron microscopy: mask to make tarton carbon film (N) 357
Electron microscopy, scanning, of materials containing water without a refrigerated stage (N) 1123
Electron microscopy, scanning, retarding field 1073
Electron microscopy, stroboscopic scanning 595
Electron microscopy, transmission automatic jet thinning of GaAs 301
Electron microscopy, transmission modified technique for preparing disk specimens (N) 1231
Electron optical lens, three-aperture, for producing an image of variable energy but fixed position 859
Electron probe microanalysis of metal oxides 753
Electron probe microanalysis, probe current stability in 136
Electron probes, quantitative measurement by shadow projection method and its application to a microfocus x-ray unit 289
Electron spin resonance experiments, use of field modulation with boxcar integrator to measure relaxation time (N) 1137
Electron spin resonance spectrometer, balance detector, further properties (N) 353
Electron spin resonance spectrometer, new measure of sensitivy 531
Electron spin resonance spectrometer, X-band with a ruby maser preamplifier 607
Electronic on–off controller, versatile (N) 566
Electrophoretic deposition of luminescent powder (N) 948
Electropolishing: thinning of tungsten carbide–cobalt hard metals to electron transparency (N) 673
Electropolishing unit, integral design, rotating-anode (N) 1251
Emission, secondary, method for automatically plotting yield curves 646
Emissivity *see* Spectral emissivity
Emitters for field ionization mass spectrometry, comparison of tips, thin wires and sharp metal edges 118
Emulsions, photographic, resolution for electrons in the energy range 7–60 kev 715
Emulsions, photographic, response to electrons in the energy range 7–60 kev 707
Energy spectrum, time-varying hydrogen atom of energy 2 kev–1 Mev, methods of measurement and display 741
Environmental chamber, temperature programmed controller (N) 1242
Environmental studies, response radiometer for the estimation of mean radiant temperature 534
Etalon, automatic scanning Fabry–Pérot, using multichannel digital data storage 394
Extensometer, diametral for elevated temperature high-strain fatigue 652

Fabry–Pérot etalon, automatic scanning, using multichannel digital data storage 394
Faraday method for susceptibility measurement, influence of positioning errors 52
Fascia technique for float-zone metal crystals (N) 363
Fatigue tests, direct high-strain at elevated temperatures, experimental arrangement 337
Ferrites, high temperature contact, electrode (N) 497
Ferromagnetic sample free at one end, acoustic aspect of the Procopiu effect (N) 960
Ferromagnets, differential ballistic technique for sensitive magnetization measurements at low temperatures 1188
Fibre diameters, small application of Edser–Butler fringes to measurement 1175
Fibres, strong, three point bend tester 444
Fibres, wood, microrheometer for tensile testing 1207
Field ion microscopy, 0–4 kv pulse amplifier (N) 1244
Films, high coercivity, magneto–optic observation of magnetic domains (N) 671
Films, thin oxide, stripping from metal 463
Films, thin, substrate heater for use in vacuum deposition (N) 56
Films, thin, technique for preparation of coils (N) 969
Films *see also under* Fluid, Metal
Filters, dense, measurement with a Cary 14R spectrophotometer (N) 1246
Flash photolysis spectroscopy, kinetic: general purpose delay unit (N) 792
Floating–zone refining, induction heated, control system 923
Flood protection device for cooling systems (N) 684
Flow, nonlinear, electrical analogy 1090
Flow measurement, thermal methods 504
Flowmeter, blood, electromagnetic 1146
Flowmeter using electronic timing (N) 562
Flowmeter, miniature turbine, operation and calibration with gases at low flow rates 35
Flowmeter, simple ionic, for measuring very small rates of flow of air 623
Fluid films, thin, thickness measurement by magnetic reluctance technique 767
Fluid turbulence, electronic arrangement suitable for measuring time mean products and squares at low frequencies 1185
Fluid velocity meter, tracer-particle, incorporating a laser 929
Fluorescence decay measurements instrumental response time corrections (N) 147
Fluorimetric attachment for an atomic–absorption spectrophotometer (N) 879
Flux densities, extremely large, apparatus for obtaining from high temperature bodies 555
Flux pattern of spiral tape cones (N) 780
Förster probe used to obtain initial susceptibility and magnetic after-effect measurements (N) 1039
Fourier transform spectrometry, digital recording system 745
Frequency *see* Resonance frequency
Friction, internal apparatus for determination at high frequencies 735
Fringe clarity in laser interferometry and holography 517
Fringes, Edser–Butler, application to measurement of small fibre diameters 1175
Furnace, carbon: infra-red source (N) 55
Furnace for high temperature n.m.r. experiments 1019

Furnace, high temperature sample, for the Cary 14R spectrophotometer (N) 683
Furnace attachment, high temperature modification for single crystal x-ray work (N) 1254

Gallium arsenide, automatic jet thinning for transmission electron microscopy 301
Galvanometer, undamped, use as low-frequency bandpass filter in lock-in amplifiers (N) 678
Galvanometer controlled temperature, modulation systems (N) 679
Gas analysis, infra-red, calibration for use with carbon dioxide 1003
Gas laser *Q* control, improved intra-cavity reflecting element 133
Gas mixing device, simple automatic roller (N) 561
Gas-pressure measurement, accurate, with transistorized control unit with strain-gauge pressure transducers 86
Gas sorption and x-ray studies, simultaneous, vapour thermostast and sample holder (N) 691
Gases, explosive, apparatus for continuous flow mixing 459
Gases, flowing, accurate thermogravimetry 843
Gases, at low flow rates, operation and calibration of a miniature turbine flowmeter 35
Gases, rarefied, measurement of macroscopic velocity by a differential thermistor gauge 1197
Gauge, differential thermistor for macroscopic velocity measurements in rarefied gases 1197
Gauge, McLeod, improved method of sealing the compression capillary (N) 60
Gauge, thin-film, for the measurement of velocity or skin friction in air, water or blood 1211
Gauge *see also* Strain gauge, Vacuum gauge
Gaussian light beam, measurement of width 303
Glass, optical, ultra low loss, spectrophotometric studies: single beam method 1063
Glass plates, coated with tin (II) oxide used for electrical analogues of electrochemical systems (N) 572
Glass samples, comparative method of checking angles (N) 687
Gold, technique for cutting disks from sheets (N) 491
Goniometer for aligning large single crystals prior to cutting (N) 690
Goniometer attachment, Phillips texture, x-radiation protection shield (N) 668
Goniometer head, low temperature (N) 474
Gratings, f.m. amplitude, defining curvature distributions 619
Gratings, x-ray, for dispersion of 1 Å x-rays (N) 144
Gratings, x-ray, simple ruling engine 643
Grinding machine, electrolytic (N) 1023

Hall effect measurements on single crystals at pressures extending to 70 kb 915
Hall probes used for measuring magnetization 1193
Heat flux in domestic coal-fired boilers, measurement by radial disk meter (N) 664
Heat flux densities, extremely large, apparatus for obtaining 555
Heat regulation, proportional simple system (N) 491
Heater circuits for calorimetry 465
Heating rate controller for thermoluminescence studies (N) 1134
Heats of solution at high dilution, differential calorimeter for measurement 940
Helium *see* Liquid helium
High pressures and temperatures, irradiation vessel 1183
High temperature contact electrode for ferrites (N) 497
High temperatures and pressures, irradiation vessel 1183
High temperatures, tensile apparatus for measurements (N) 495
High vacuum lead-through, simple and inexpensive (N) 969
High-voltage pulse generator (N) 1133
Hinges, parrallel strip, novel application (N) 68
Hologram, production of a lenticular stereogram (N) 473
Hologram interferometry used for measurement of in plane surface strain 731
Holography and laser interferometry study of fringe clarity 517
Holography, novel applications 821
Holography with scatter plates 989
Humidity and temperature, simple instrument for a measurement of fine scale structure, and hence also refractive index, in the troposphere 107
Humidity control system for a small chamber (N) 65
Hydrogen atom energy spectrum, time-varying, of energy 2 kev–1 Mev, method of measurement and display 741
Hydrogen flouride, anhydrous, laboratory distillation column (N) 770
Hydrogen *see also* Liquid hydrogen
Hygrometric probes, selenium dioxide 864
Hysteresigraph for permanent magnet materials 1016
Hysteresis loop tracer, quasistatic (N) 1249

Image of variable energy but fixed position, production by three-aperture electron optical lens 859
Image intensifier for the electron microscope 601
Image intensifier, thermoelectric cooling device (N) 1256
Image spheres, method sizing (N) 467
Image tube framing camera, multiple beam storage, time dispersion effects 702
Incandescent materials, apparatus for measurement of normal and off-normal spectron emissivity 311
Infra-red detectors, indium antimonide, low-noise amplifier (N) 952
Infra-red gas analysers, calibration for use with carbon dioxide 1003
Infra-red light pulse generator, fast (N) 478
Infra-red radiation pyrometer Corr. 368
Infra-red source, carbon furnace (N) 55
Instrument reading by closed circuit television system (N) 875
Intensities of two light beams from a double optical lever system, method of compression (N) 958
Interference filters used with the Unicam colorimeter (N) 886
Interference fringe separation, measurement by a moiré technique (N) 676
Interferometer, confocal for pointing on coherent sources 1171
Interferometer, millimetre waves, used for measurement of the deflection of an oscillating bar (N) 783
Interferometric measurements, magnified, of small displacements (N) 948
Interferometry, hologram, used for measurement of in-plane surface strain 731
Ion beam intensity measurements, high flow-rate calorimeter (N) 1032
Ion beam profiles, method of measurements (N) 484
Ion current ratios, recording by servoamplifer in a two-collector mass spectrometer 738
Ion–molecule reactions: some characteristics of a venetian blind particle multiplier used as a detector (N) 867
Ion trapping in pulsed source mass spectrometry, technique (N) 155
Irradiation vessel for high temperatures and pressures 1183

Joint, bakeable and direct, between a fused quartz tube and a metal tube (N) 145
Journal of Scientific Instruments, early days 501

Kovar parts, differential expansion holder (N) 883

Lamps, quartz–iodine tungsten, polarization (L) 889
Langmuir probe analysis of a positive column containing moving striations, necessity of phase reference (N) 1035
Laser, carbon dioxide, quartz working (N) 360
Laser, neodynium-in-calcium tungstate air cooling (N) 476
Laser array, gallium arsenide, for communications (N) 787
Laser beam power control device 856
Laser-cone calorimeters, calibration (N) 1022
Laser Doppler velocimeter employing the laser as a mixer–oscillator 723
Laser fluid velocity meter 929
Laser interferometry and holography, study of fring clarity 517
Laser modes, high power, carbon dioxide, dynamic viewing Corr. 156
Laser technique for the measurement of aerosols 631
Laser *see also* Gas laser
Lattice parameters, accurate determination, on air-sensitive compounds (N) 693
Lattice spacing, proposal for new determination of a standard 1168
Lens, electron optical, three-aperture for producing an image of variable energy but fixed position 859
Lens, probe-forming, comparison of experimental and theoretical C_s values 628
Light beam, Gaussian, measurement of width 303
Light pulse generator, fast infra-red (N) 478
Light source, spark, of short duration (N) 568
Light wavelength used for measuring vibratory displacements (N) 481, Corr. 971
Linear displacements, recorded by digital mechanism (N) 1237
Liquid epitaxy, solid-state linear ramp generator for use in crystal growth 921
Liquid helium for an electron microscope for use with accessories 121
Liquid hydrogen droplets, 15 μm, production (N) 670
Liquid nitrogen trap topper (N) 1232
Liquid scintillation counters, absolute standardization 99
Liquid scintillation whole-body counter of high sensitivity, performance 91, (L) 695
Liquid surfaces, system for recording temperatures in the vicinity (N) 776
Liquids: boiling-point method for the determination of low vapour pressure 1119
Liquids, measurements of viscoelastic properties by a magnetostrictive instrument in the frequency of 20–100 kHz 383
Lubricant-testing machine four-ball with three wear tracks (N) 1234
Luminance standard source, low, covering four orders of magnitude (N) 479
Luminescent powder, electrophoretic deposition (N) 948

Macropores, method of measuring with low-pressure mercury porosimeter (N) 573
Magnet, permanent, for n.m.r. spectrometer 323
Magnet, superconducting, use of a magnetoresistor to measure the magnetic field 925
Magnet materials, permanent, hysteresigraph 1016
Magnet windings, optimization to produce uniform transverse fields (N) 575
Magnetic after-effect measurements with the aid of a Förster probe (N) 1039
Magnetic anisotropy, measurement by automatic torque balance in the broad temperature range from the helim temperature upwards 389
Magnetic balance, calibration of pole tips (N) 1257
Magnetic data recording system, estimation of small effective gap length beyond recording resolution (N) 487
Magnetic domains in high coercivity films, magneto-optic observation (N) 671
Magnetic field calibrator, simple automatic 765
Magnetic field distributions, pulsed, low voltage transistor-switched capacitor bank for determination 347
Magnetic fields, megagauss, produced by compression of metallic cylinder in Z-pinch configuration 543
Magnetic fields, uniform transverse, optimization of magnet winding (N) 575
Magnetic reluctance technique for the thickness measurement of thin fluid films 767
Magnetic resonance, limits of measurement 977
Magnetic roller gas mixing device, simple automatic (N) 561
Magnetic torque measurements, highly sensitive with a commercial electric microblance (N) 790
Magnetization, measurement using Hall probes 1193
Magnetization measurements, sensitive, on ferromagnets at low temperatures by a differential ballistic technique 1188
Magnetometer, torque, cryostat for use down to 4·2°K 15
Magnetoresistor used to measure the magnetic field of a superconducting magnet 925
Magnetostrictive instrument for measuring the viscoelastic properties of liquid in the frequency range of 20–100 kHz 383
Manometer, all-glass recording membrane (N) 964
Manometer, dual range (N) 490
Manometer, mercury, improved form (N) 689
Manometer, oil, with continuous electrical readout 657
Maser preamplifier, ruby, for an X-band e.s.r. spectrometer 607
Mass flow rate of airborne powdered material in a duct, measurement 823
Mass spectrometer, Bennett's r.f., investigation of energy gain 326
Mass spectrometer, inexpensive bakeable quadrupole 523
Mass spectrometer, solid source, filament current regulator 329
Mass spectrometer, two collector: recording of ion current ratios by servoamplifer 738
Mass spectrometry, field ionization, comparison of tips, thin wires and sharp metal edges as emitters 118
Mass spectrometry, field ionization, with a modified MS 9 spectrometer 611
Mass spectrometry, pulsed-source, technique for ion-trapping (N) 155
Mass spectroscopy, limits of measurement 1053
Measurement standards over 50 years 73
Medical instrumentation, progress over the past fifty years 697
Medical instrumentation *see also* Biomedical instrumentation
Mercury as a quenching medium high speed quenching apparatus (N) 578
Mercury reservoirs, greaseless valve for use in (N) 359
Metal films, thin self-supporting, measurement of superficial density by electron transmission (N) 1032
Metal and fused quartz tubes, bakeable and direct joint between (N) 145
Metal oxides, electron probe microanalysis 753
Metallizing non-conducting scanning electron microscope specimens, rotating device (N) 565
Metals, hard tungsten carbide–cobalt, thinning to electron transparency by electropolishing (N) 673
Metals, stripping thin oxide films 463
Meteorological instrumentation: basic considerations in some recent developments in surface instrumentation 265
Meteorological instrumentation: routine instruments for upper air observations 272
Meteorological instruments, fifty years of change 973

Meteorological observing techniques, development in the satellite and computer age 257
Meteorological soundings in the earth's higher atmosphere 278
Microbalance, commercial electric, use for highly sensitive magnetic torque measurements (N) 790
Microbalance, cooled quartz crystal, used for measuring diffusion pump backstreaming (N) 774
Microcalorimetry, analogue circuits for accurate evaluation of small power inputs (N) 1024
Microdensitometer, computer-linked cathode-ray tube, for x-ray crystallography 510
Micro-organisms, unicellular, automatic recording cell counter for monitoring growing populations 861
Microrheometers for tensile testing of wood fibres 1207
Microscope, development during the last fifty years 3
Microscope, proton scattering 820
Microscope polariscope, transmission, photoelastic analysis 649
Microscope unit, travelling, with semi-automatic digital output (N) 475
Miscroscope stage, low inertia, hot–cold (N) 148
Miscroscope *see also* Electron microscope
Microscopy, field ion, 0–4kv pulse amplifier (N) 1144
Microscopy, optical, electron bombardment luminescence stage (N) 59
Microwave cavity, method for measurement of small shifts of resonance frequency (N) 152
Model incidence, two optical methods of measuring in a wind tunnel (N) 468
Moiré fringes, anti-parallax device for observation (N) 674
Moiré gauges, use of the radial gratings 613
Moiré observations, method for obtaining a mismatch by means of a diffraction effect (N) 354
Moiré technique used for measurement of interference fringe separation (N) 676
Moisture gauges, neutron, correction for dry bulk density 1097

Navigational instruments: progress over the last fifty years 1045
Net pyrradiometer calibration, long wave radiation source (N) 62
Neutron diffraction, null-matrix alloy (N) 945
Neutron inelastic scattering by triple-axis spectrometer 528
Neutron moisture gauge measurement, correction for dry bulk density 1097
Neutron powder diffraction patterns of cubic, tetragonal, orthorhombic and hexagonal structures, computer indexing (N) 951
Neutron scattering experiments, simple heating arrangement (N) 367
Nickel catalyst beds, *Q*-meter measurements 456
Nitrogen *see* Liquid nitrogen
Noise filter, optimum, for d.c. measurements (N) 142
Nuclear instruments over the last fifty years 369
Nuclear magnetic resonance experiments, high-temperature furnace 1019
Nuclear magnetic resonance frequency sweep circuit (N) 1248
Nuclear magnetic resonance probes, variable temperature, system for protecting against damage by overheating (N) 356
Nuclear magnetic resonance signals, simple method for calibration (N) 57
Nuclear magnetic resonance *see also under* Spectrometer, Spectroscopy
Nuclear quadrupole resonance: reduction of line-shape distortion in super-regenerative spectrometers 1153
Nuclear quadrupole resonance *see also under* Spectroscopy
Nuclear quadrupole resonance: simple method for determining the orientation of magnetic axes in large single crystals 918
Nuclear radiation measurement at the Physics Exhibition 808
Nuclear reactors, suitability of liquid semiconductors for resistance thermometry 373

Ohmic contacts, method of making to p-type silicon crystals (N) 782
Oil manometer with continuous electrical readout 657
Omegatron, effect of dimensions on its performance 417
Optical fixed store, random access 810
Optical lower system, double, method for the comparison of the intensities of two light beams (N) 958
Optical method of measuring model incidence in a wind tunnel (N) 468
Optical method of measuring transverse surface velocity 25
Optical pattern classification 827
Optical polishing, method of flatness control (N) 365
Optical pyrometry and temperature control, application of thermistors 1228
Optical studies, low temperature, simple glass immersion cryostat (N) 944
Optics at the Physics Exhibition 805
Orbitron gauge, small volume, with stable ion current characteristics 317
Oscillator, low power r.f., protection against changes in matching conditons (N) 155
Oscilloscope display, multi-trace, trace identification (N) 959
Oxides, metal, electron probe microanalysis 753
Ozonosonde, electrochemical Indian 995

Particle multiplier, venetian blind, used as a detector in the study of ion–molecule reactions (N) 867
Particle size in La Mer aerosol generator, device for control 636
Particle size analyser for sizing imaged spheres (N) 467
Pavements, dyanamic testing by improved mobile unit 127
Pen recorders driven by a buffer (power amplifier) (N) 962
Pendulum, Kê torsional, modified for stress and strain relaxation measurements (N) 1029
Permittivity of biological solutions, measurements at frequencies below 1 MHz 429
Photocathodes, potassium–antimony–caesium, preparation (N) 351
Photocathodes, wavelength dependence of the distribution of relative sensitivity (N) 668
Photoelastic analysis, by transmission microscope polariscope 649
Photoelectric spectropolarimeter, three-channel astonomical 409
Photoelectric tachometer (N) 486
Photoelectron spectrometer, parallel plate 406
Photographic emulsions, resolution for electrons in the energy range 7–60 kev 715
Photographic emulsions, response to electrons in the energy range 7–60 kev 707
Photographic equipment for borehole surveying (N) 139
Photomultipliers, wavelength dependence of the distribution of relative sensitivity over the photocathodes (N) 668
Photon 'pile-up' in the measurement of radiative lifetimes, correction (N) 878
Photolysis *see* Flash photolysis
Physics Exhibition 801
Piezoelectric control of spring strip mounts (N) 352
Piezoresistance effect in semiconductors, method of measurement 546
Plasma-arc torch, simple projecting device for observing cathode operation (N) 679
Polariscope, transmission microscope, for photoelastic analysis 649
Polarization of quartz–iodine tungsten filament lamps (L) 889

Pole-tips suitable for magnetic balance, calibration (N) 1257
Polishing, optical, method of flatness control (N) 365
Polymer melts, apparatus to measure the dynamic viscoelasticity 1109
Polymer melts, cone and plate rheometer 1113
Polymers, new preparation technique for examination in the scanning electron microscope 29
Porosimeter, low-pressure mercury, for measuring macropores (N) 573
Potential *see* Contact potential, Thermoelectric potential
Powder, determination of shear strength by split ring annular shear cell, 655
Powder, modifications of Perkin–Elmer reflectance attachment for study (N) 470
Powder mixtures, analysis by simple and cheap photosensitive transformer bridge (N) 778
Powdered material, airborne, measurement of mass flow rate in a duct 823
Power amplifier (buffer) for driving pen recorders (N) 962
Preamplifers, parametric and maser, used to improve sensitivity of e.p.r. spectrometers (L) 888
Pressure transducer, orifice type impact, used in correction to test head arrangement for determining speed of pumps (L) 70
Pressure transducers, pneumatically operated 'semi-dynamic' calibrator (N) 1124
Pressure transducers, strain-gauge: transistorized control unit for accurate gas-pressure measurement 86
Pressure-transmitting media, solid, single crystal measurements and stress difference 911
Pressure *see also* Vapour pressure
Probe, hot wire, for a wide range of anemometer applications (N) 874
Probe, low energy scanned electron beam 1179
Probe, traversing orifice hot-wire for use in wall pressure correlation measurements 447
Probe, variable temperature n.m.r. system for protecting against damage by overheating (N) 356
Probe current stability, electron probe microanalysis (N) 136
Probe pair, traversing orifice hot wire, for use in wall pressure correlation measurements 447
Probe *see also under* Electron, Förster, Langmuir
Procupiu effect, acoustic aspect in a ferromagnetic sample free at one end (N) 960
Products and squares of signals, electronic arrangement for measuring in fluid turbulence at low frequencies 1185
Profilometry, relocation 749
Projectile velocity gauge, simple and inexpensive (N) 883
Projection, accurate, of a drop of known size with a given velocity (N) 1130
Proton scattering microscope 820
Psychrometer radiosonde developed for determining radio refractive index as a function of height 401
Pulmonary ventilation, method of recording 433
Pulse amplifier 0–4 kv, for field ion microscopy (N) 1244
Pulse generator, high voltage (N) 1133
Pulse method, application to specific heat and density independent measurement of thermal conductivity: extension of method to very small specimens 379
Pulser, nanosecond, low-impedance high-voltage (N) 688
Pulses, comparison between a special shift register and scaler for derandomization 22, (L) 694
Pump for circulation of aqueous electrolytes (N) 483
Pump, correction to test header arrangement for determining speed, using an orifice type impact pressure transducer (L) 70
Pump, sorption, fast, for the 10–150 torr region (N) 582
Pyrradiometer, net, calibration, long wave radiation source (N) 62
Pyrex: production of toroidal sections (N) 771
Pyrometer, self-balancing line-reversal 984
Pyrometer *see also under* Radiation
Pyrometry *see* Optical pyrometry

Q control for gas laser, improved intra-cavity reflecting element 133
Q-meter measurements of nickel catalyst beds 456
Quadrant electrometer, measurement of frequency (L) 1261
Quartz, fused, and metal tubes, bakeable and direct joint between (N) 145
Quartz: production of toroidal sections (N) 771
Quartz working with a CO_2 laser (N) 360
Quenching apparatus, high speed, using mercury as a quenching medium (N) 578

Radial gratings as moiré gauges 613
Radiant temperature in environmental studies, a rapid response radiometer for the estimation 534
Radiation above ionosphere, experiment with satellite Ariel 3 to study occurrence and distribution 77
Radiation pyrometer, BACO, for temperature measurement of aluminium on an extrusion press 332
Radiation pyrometer, infra-red Corr. 368
Radiation source, long wave, for net pyrradiometer calibration (N) 62
Radiation *see also* Nuclear radiation
Radioactive lifetimes, correction of photon pile-up in measurement (N) 878
Radio refractive index, determination as a function of height by a psychrometer radiosonde 401
Radiometer, rapid response, for the estimation of mean radiant temperature in environmental studies 534
Radiometric instruments calibrated by low-luminescence standards covering four orders of magnitude (N) 479
Radiosonde, psychrometer, developed for determining radio refractive index as a function of height 401
Refining, induction heated floating zone, control system 923
Reflectance attachment, Perkin–Elmer, modification for studying powders (N) 470
Refractive index in the troposphere, simple instrument for measurement through measurement of fine scale structure of temperature and humidity 107
Relexation time in e.s.r. experiments, measurement by use of field modulation (N) 1137
Replica technique for measuring incremental slip step heights 558
Replication of selected area (N) 1036
Resistance, technique for measuring small fast changes 423
Resistance, variable, application of automatic measurement to the determination of the level of a column of mercury (N) 141
Resistance thermometer for measuring air temperatures (N) 150
Resistance thermometer measurements, used to obtain simplified equation for calculation of small temperature difference (N) 785
Resistance thermometer, stagnation-region thin-film, theoretical frequency response 1200
Resistance thermometry in nuclear reactors, suitability of liquid semiconductors 373
Resistivity distribution, measurement of application of beta-conductivity 639
Resonance frequency of a microwave cavity, method of measurement of small shifts (N) 152
Resonance *see also under* Nuclear, Magnetic
Rheogoniometer, Weissenberg, self-aligning platens (N) 1030
Rheometer, cone and plate, for polymer melts 1113
Rheometer *see also* Microrheometer

Rocksalt crystals, apparatus for repeated cleavage in ultra-high vacuum (N) 1127
Ruling engine for x-ray gratings 643

Satellite Ariel 3, Sheffield University experiment 77
Satellite FR-1, instrumentation 893
Scaler, comparison with a shift register for derandomization 22, (L) 694
Schlieren system, three colour quantitative 413
Seal, high temperature, for brittle materials (N) 1233
Seal faces, instrument for measuring mean surface profile 344
Sealing of glass to metal: differential expansion holder for kovar parts (N) 883
Secondary emission yield curves, method for automatically plotting 646
Selenium dioxide hygrometric probes 864
Semiconductors, apparatus for measuring thermoelectric powers from 77 to 660°K (N) 469
Semiconductors, liquid, suitability for resistance thermometry in nuclear reactors 373
Semiconductors, method of measuring the peizoresistance effect 546
Sensor, ultra-violet, and integrating recorder for long-term field operation 1007
Servoamplifier for the recording of ion current ratios in a two-collector mass spectrometer 738
Shear properties of adhesive bonded joints, torsion apparatus for measuring 829
Shear strength of a powder determined by split ring annular shear cell 655
Shift register, comparison with a scaler for derandomization 22, (L) 694
Shock-tube, use of high-vacuum valve (N) 667
Shunt regulator, plug-in transistorized (N) 493
Shutter, electromechanical uncapping 813
Shutter attachment for photographically aligning a Weissenberg camera (N) 471
Sieves, micromesh, using high ultrasonic vibrations (N) 576
Silicon crystals, p-type, method of making ohmic contacts (N) 782
Single crystal diffractometry, automatic, low temperature system 113
Single crystal measurements and stress difference in solid pressure-transmitting media 911
Single-crystal x-ray work modifications to a high-temperature furnace attachment (N) 1254
Single crystals, Hall effect measurements at pressures extending to 70 kb 915
Single crystals, large, goniometer, for aligning prior to cutting (N) 690
Single crystals, large, simple method for determining the orientation of magnetic axes for n.q.r. observations 918
Single crystals, orienting and polishing for ultrasonic measurements (N) 1122
Single crystals of ulvöspinel, technique for growing from the melt (N) 1236
Skin friction in air, water or blood, thin-film gauges for measurement 1211
Slip step, replica technique for studying change in height 558
Solenoids, bonded plane, helical with arbitrary external field, mechanical stresses 437
Solution calorimetry, sample holders (N) 358
Solutions, biological, measurements of permittivity at frequencies below 1 MHz 429
Sonde *see* Ozonosonde
Sorption pump, fast, for the 10–150 mtorr region (N) 582
Sound pressure levels, automatic averaging (N) 1026
Spark, light source of short duration (N) 568
Spark cutter, electronic (N) 1239
Spectral emissivity, normal and off-normal, of incandescent materials, apparatus for measurement 311
Spectral peaks of Gaussian shape effect of detector response time on distortion 1165
Spectrofluorimeter, fully compensated versatile 305
Spectrograph, grazing incidence, absolute intensity calibration in the wavelength region 10–120 Å 998
Spectrograph design 1918–68 589
Spectrometer, balanced detector e.s.r., further properties (N) 353
Spectrometer, e.p.r., sensitivity using parametric and maser preamplifiers (L) 888
Spectrometer, e.s.r. new measure of sensitivity 531
Spectrometer, frequency-swept n.m.r. or p.q.r., marker (N) 950
Spectrometer, 100 MHz n.m.r., phase-lock circuit (N) 64
Spectrometer, ligand–ENDOR 847
Spectrometer, n.m.r. 100 MHz, phase-lock circuit (N) 64
Spectrometer, n.m.r.: liquid cell cryostat with thermistor amplifier feedback control (N) 1253
Spectrometer, n.m.r., method of synchronizing the frequency sweep to the memory of a computer of average transients (N) 964
Spectrometer, n.m.r., permanent magnet for 323
Spectrometer, n.m.r. simple device for attachment for T_1 measurements by adiabatic rapid passage (N) 963
Spectrometer, parallel plate photoelectron 406
Spectrometer, super-regenerative, for n.q.r. spectroscopy 8
Spectrometer, super-regenerative, reduction of line-shape distortion for n.q.r. 1153
Spectrometer, toriod-sector type beta, improvement of resolution and transmission (N) 364
Spectrometer, triple-axis, for neutron inelastic scattering 528
Spectrometer, X-band e.s.r. with a ruby maser preamplifier 607
Spectrometer *see also* Mass spectrometer
Spectrometry, Fourier transform, digital recording system 745
Spectrometry, Mössbauer, by means of tape recorders 1069
Spectrophotometer, atomic-absorption fluorimetric attachment (N) 879
Spectrophotometer, Cary 14R measurement of dense fibres (N) 1246
Spectrophotometer, high temperature sample furnace (N) 683
Spectrophotometric studies of ultra-low loss optical glasses: single beam method 1063
Spectropolarimeter, three-channel astronomical photoelectric 409
Spectroradiometer, scanning (N) 795
Spectroscopic measurements at controlled temperatures down to 77°K with a simple Dewar (N) 872
Spectroscopy, n.q.r., improved super-regerative spectrometer 8
Spectroscopy, n.q.r., simple Zeeman modulator 1162
Spectroscopy, pulsed n.m.r. fast recovery probe and receiver 320
Spectroscopy, pulsed n.m.r. high-power untuned r.f. transmitter 604
Spectroscopy *see also* Mass spectroscopy
Spectrum, Th Bβ, energy of the E,G,H and I_a conversion lines (N) 873
Spherical, aberration coefficient, comparison of experimental and theoretical values for some probe forming lenses 628
Spin–lattice relaxation times, simple device for measurements on an n.m.r. spectrometer by adiabatic rapid passage (N) 963
Sputtering system, r.f. dielectric, with non-grounded electrodes 32
Squares and products of signals, electronic arrangement for measuring in fluid turbulence at low frequencies 1185
Statistical analyser with up-dated histogram display 825
Steels, stainless, application of thin layer x-ray fluorescence analysis to oxide composition (N) 772

Stereogram, lenticular, production from a hologram (N) 473
Strain, high: experimental arrangement for direct fatigue tests at elevated temperatures 337
Strain, in-plane surface, measurement by hologram interferometry 731
Strain fatigue, high, for elevated temperature diametral extensometer 652
Strain gauge, for absolute measurement of high voltage by a null method 341
Strain gauge, dynamic, hand-held 937
Strain relaxation measurements, modified Kê torsional pendulum (N) 1029
Stress difference in solid pressure-transmitting media 911
Stress relaxation measurements, modified Kê torsional pendulum (N) 1029
Stresses, mechanical, in bonded plane helical solenoids with arbitrary external field 437
Striations, moving, in positive column, necessity of phase reference in Langmuir probe analysis (N) 1035
String strip mounts, piezoelectric control (N) 352
Stroboscopic scanning electron microscopy 595
Stroboscopic viewing, still, of a ciné record 819
Structural analysis, x-ray, of polycrystals by back-reflection focusing camera (N) 876
Susceptibility measurement by the Faraday method, influence of positioning errors 52
Switch, high current mains frequency synchronous (N) 570

Tachometer, photoelectric (N) 486
Tape recorders used in Mössbauer spectrometry 1069
Tartan carbon films for electron microscopy, mask for making (N) 357
Television system, closed-circuit, for instrument reading (N) 875
Temperature, Curie point, r.f. method for determination (N) 1136
Temperature, galvanometer controlled, modulated systems (N) 679
Temperature and humidity, simple instrument for measurement of fine scale structure, and hence also refractive index in the troposphere 107
Temperature of rapidly moving surfaces, measurement by stationary contacting thermocouple device 757
Temperature, system for recording in the vicinity of liquid surfaces (N) 776
Temperature control and optical pyrometry, application of thermistors 1228
Temperature controller, proportioning, using thyristor (N) 1128
Temperature difference, simplified equation for calculation from resistance thermometer measurements (N) 785
Temperature measurement of aluminium on an extrusion press using BACO radiation pyrometer 332
Temperature programmed controller for an environmental chamber (N) 1242
Temperature *see also* High temperature
Tensile apparatus for measurements at very high temperatures (N) 495
Tensometer, Hounsfield, push–pull fatigue modifications (N) 1038
Thermal analyser, microdifferential, solid state circuitry 1116
Thermal analysis *see* Differential thermal analysis
Thermal conductivity, specific heat and density independent measurement, application of pulse method: extension of the method to very small specimens 379
Thermal conductivity, uniform, in long specimens, thermal response time (N) 1131
Thermal methods of flow measurement 504
Thermal response time of long uniform thermal conductivity specimens (N) 1131
Thermistor gauge, differential for macroscopic velocity measurements in rarefied gases 1197
Thermistor katharometer, sensitivity 761
Thermistors, application to optical pyrometry and temperature control 1228
Thermobalance, Stanton, attachment for comined thermogravimetric and differential thermal analysis (N) 1025
Thermobalance, vacuum, symmetrical, for corrosive atmospheres 1013
Thermocouple, tungsten–tantalum, thermoelectric potentials from 0 to 420°C (N) 489
Thermocouple device, stationary contacting, for measuring the temperature of rapidly moving surfaces 757
Thermoelectric cooling device for image intensifiers (N) 1256
Thermoelectric potentials, for tungsten–tantalum thermocouple from 0 to 420°C (N) 489
Thermoelectric powers of semiconductors, apparatus for measuring from 77 to 660°K (N) 469
Thermogravimetric analysis, combined with differential thermal analysis, Stanton thermobalance (N) 1025
Thermogravimetry, accurate, in flowing gases 843
Thermoluminescence studies, heating rate controller (N) 1134
Thermometer, platinum resistance, calibration between 2 and 213.15°K 839
Thermometer, sensitive (N) 584
Thermometer, small globe (N) 955, corr. 1260
Thermometer *see also* Resistance thermometer
Thermometry *see* Resistance thermometry
Thermostate, vapour, and sample holder for simultaneous x-ray and gas sorption studies (N) 691
Thyristor furnace controller (N) 58
Thyristors used in a proportioning temperature controller (N) 1128
Time intervals, short, fast measurement 1223
Time-lags, nanosecond random, automatic measurement 1219
Toroidal sections, accurate, production in Pyrex and quartz (N) 771
Torque balance, automatic compensated, for the measurement of magnetic anisotropy in the broad temperature range from the helium range upwards 389
Torsion apparatus for measuring shear properties of adhesive bonded joints 829
Torsional pendulum, Kê, modified for stress and strain relaxation measurements (N) 1029
Trace detector, fluorescence, for on-line contamination monitoring 815
Train communication, from track, binary coded telegram 811
Transducer, capacitive displacement, with high accuracy and resolution 817
Transducer, displacement, thermally operated (N) 884
Transducer, velocity-sensitive vibrator using air suspension (N) 494
Transducer *see also* Pressure transducer 86
Transmitter, high-power, untuned r.f., for pulsed n.m.r. spectroscopy 604
Traversing gear, intermittent, for small wind tunnels 1011
Troposphere, simple instrument for measurement of fine scale structure of temperature and humidity, and hence also refractive index 107
Turbulence structure, small-scale, measurement with hot wires 1105
Turbulence *see also* Fluid turbulence

Ultrasonic cavitation experiments, cell 549
Ultrasonic measurements, orienting and polishing single crystals (N) 1122

Ultrasonic vibrations, frequency, used for micromesh sieve analysis (N) 576
Ultra-violet sensor and integrating recorder for long-term field operation 1007
Ulvöspinel, technique for growing single crystals from the melt (N) 1236

Vacuum deposition of thin films, substrate heater (N) 56
Vacuum gauges, intermediate range, mobile calibrator (N) 967
Vacuum gauge, suspended disk 45
Vacuum sample holder, high temperature, for the Kratky camera (N) 681
Vacuum thermobalance, symmetrical, for corrosive atmospheres 1013
Vacuum *see also* High Vacuum
Valve, ball and socket ultra-high vacuum, compact version (N) 952
Valve, greaseless, for use in mercury reservoirs (N) 359
Valve, high-vacuum, for shock-tube application (N) 666
Valve, versatile gas/liquid (N) 563
Vapour pressure, improved boilers for ebulliometric determination 41
Vapour pressure, low, boiling point method for determination 1119
Velocimeter, laser Doppler, employing the laser as a mixer–oscillator 723
Velocity in air, water, or blood, thin-film gauges for measurement 1211
Velocity, transverse surface, optical method of measuring 25
Velocity, turbulent, measurement from Doppler shift in scattered laser light 727
Velocity gauge, projectile, simple, inexpensive (N) 882
Velocity meter, fluid (tracer-particle) incorporating a laser 929
Ventilation, pulmonary, method of recording 433
Vibrating samples, timing device for the measurement of damping capacity 1214
Vibratory displacements, method of measuring in terms of a light wavelength (N) 481, corr. 971
Viscoelastic properties of liquids, measurement by a magneto-strictive instrument in the frequency range 20–100 kHz 383
Viscoelasticity, dynamic, of polymer melts, apparatus for measurements 1109
Viscometer, concentric cylinder air turbine 933
Viscometer, probe capillary 834
Volt–ampere measurements, accuracy and repeatability, on electrical sheet steel at high flux densities (N) 881
Voltage, high, absolute measurement by null method using strain gauges 341
Voltage measurement in the scanning electron microscope 902

Wall pressure correlation measurement by traversing orifice hot wire probe pair 447
Water, measurement of internal energy by adiabatic calorimeter 539
Water flow, simple meter for measurement of low velocities (N) 685
Water vapour, measurement of internal energy by adiabatic calorimeter 539
Wavelength dependence of the distributions of relative sensitivity over the photocathodes of photomultipliers (N) 668
Weather forecasting, recent advances in techniques 257
Weissenberg camera, shutter attachment for photographically aligning (N) 471
Weissenberg photograph, higher layer, simple device for equivalent recording of all reflections (N) 787
Wind tunnel used for optical method of measuring model incidence (N) 468
Wind tunnel, small, intermittent traversing gear 1011

X-radiation protection shield for the Phillips texture goniometer attachment (N) 668
X-ray crystallography, computer-linked cathode-ray tube microdensitometer 510
X-ray crystallography, cooling of crystals (N) 580
X-ray diffraction camera for fast recording of three-dimensional data (N) 869
X-ray diffraction linewidth, instrumental, geometry in a back reflection focusing camera with point source displaced from focusing circle (N) 877
X-ray diffraction patterns of cubic, tetragona, orthorhombic and hexagonal structures, computer indexing (N) 951
X-ray diffractometer, two types of sample holder for sample spinning device (N) 151
X-ray examination of crystals, method of mounting with methacrylate adhesive (N) 585
X-ray fluorescence analysis, thin layer, application to oxide composition studies on stainless steels,(N) 772
X-ray and gas sorption studies, simultaneous, vapour thermostat and sample holder (N) 691
X-ray gratings, simple ruling engine 643
X-ray structural analysis of polycrystals by back-reflection focusing camera (N) 876
X-ray unit, microfocus, application of quantitative measurement of electron probes by shadow projection method 289
X-rays of wavelengths 1Å, dispersion with NPL x-ray gratings (N) 144

Young's modulus, apparatus for determination at high frequencies 735

Z-pinch configuration, production of pulsed megagauss fields by compression of metallic cylinder 543

Abridged Notes

Balance, analytical, simple method to reduce static charges 587
Battery switch, no-interrupt standby, by use of a Zener diode 587
Films, silica-protected aluminium, removal from mirrors 587
Goniometer arcs, standard axial movement 972
Graphite, strength in high vacuum at elevated temperatures 499
Harmonic analysis unit, 1kHz 1043
Integrator, multi-purpose precision 1043
Interferometer, Mertz field-compensated, modification 972
Punch driver, 8-hole paper tape 499
Spectrometer, semicircular magnetic, accurate positioning of two sources 587
Thermometers, mercury-in-glass estimation of errors in reading 499
Transformers, high current, improved 972
Thermostat, boiling water 1043

Author Index Series 2 Volume 1

(N) denotes Note on Experimental Technique and Apparatus, (L) Letter to the Editor

Ables J G and Riley G H: A filament current regulator for solid source mass spectrometers 329
Abowitz G and Ladell J: A low temperature system for automatic single crystal diffractometry 113
Abrahamsson S Aleby S and Innes J: An x-ray diffraction camera for fast recording of three-dimensional data (N) 869
Adams K J: An automatic recording cell counter for monitoring growing populations of unicellular micro-organisms 861
Agar W O and Blythe J H: An optical method of measuring transverse surface velocity 25
Ahrenkiel R K and Selke W E: A simple glass immersion cryostat for low-temperature optical studies (N) 944
Akerboom F and van Mal H H: an improved form of mercury manometer (N) 689
Aleby S with Abrahamsson S and Innes J: An x-ray diffraction camera for fast recording of three-dimensional data (N) 869
Alikhanov S G Belan V G Ivanchenko A I Karasjuk V N and Kichigin G N: The production of pulsed megagauss fields by compression of the metallic cylinder in Z-pinch configuration 543
Allen L: Optimum output coupling of gas laser light from inhomogeneously broadened lines (N) 794
Allen P S and Johnson L W: A method of synchronizing the frequency sweep of a nuclear resonance spectrometer to the memory scan of a computer of average transients (N) 966
Allen L Jones D G C and Sayers M D: An improved intra-cavity reflecting element for gas laser Q control 133
Ambady G K: A simple device for equivalent recording of all reflections in a higher layer Weissenberg photograph (N) 787
Ambrose D: Improved boilers for the ebulliometric determination of vapour pressures 41
Anantharanan T R with Wahi R P and Bhattacharya D: A modified technique for preparing disk specimens for transmission electron microscopy (N) 1231
Anderson K: An image intensifier for the electron microscope 601
Anderson D Anderson J M and Seville A H: A technique for measuring small, fast changes in resistance 423
Anderson J M with Anderson D and Seville A H: A technique for measuring small, fast changes in resistance 423
Andersson C G and Stebler B: A tilting device for use at liquid nitrogen temperature in the JEM series 6 and 7 electron microscopes (N) 1250
de Angelis A with Cecchinii A Gratton R and Parlange F: Suitable targets for the production of a deuterium plasma cloud in a vacuum environment with a laser pulse (N) 1040
Anson M and de Soyza A A: A low-noise amplifier for indium antimonide infra-red detectors (N) 952
Antony M: The energy of the E, G, H and I_a conversion lines of the Th B β spectrum (N) 873
Arndt U W Crowther R A and Mallett J F W: A computer-linked cathode-ray tube microdensitometer for x-ray crystallography 510
Arney G D and Henderson W F: A mobile calibrator for intermediate range vacuum gauges (N) 966
Arnold A J: A versatile gas/liquid valve (N) 563
Arnould J Blanc M Brochon J Kieffer O Pecresse J and Varloot D: Les instruments de mesure a bord du satellite FR-1 893
Artzner J with Rothenstein B F and Kremmer J: The acoustic aspect of the Procopiu effect in a ferromagnetic sample free at one end (N) 960
Aspden H: A method for automatically plotting secondary emission yield curves 646
Ayling A B: A transitorized control unit for accurate gas-pressure measurement with strain-gauge pressure transducers 86

Bailey B J Ferguson J A and Moses J Ll: Two flowmeters using electronic timing (N) 562
Baker M A: A coiled quartz crystal microbalance method for measuring diffusion pump backstreaming (N) 774
Baker L with Witte L C Silverman M B and Ivins R O: An apparatus for obtaining extremely large heat flux densities 555
Baleshta T M and Carson D W: Apparatus for measuring thermoelectric powers of semiconductors from 77 to 660°K (N) 469
Ball D J with Venables J A and Thomas G J: An electron miscrocope liquid helium stage for use with accessories 121
Barattini A with Iernetti G: A cell for ultrasonic cavitation experiments 549
Barbee D G and Endrud G H: A differential themistor gauge for macroscopic velocity in rarefied gases 1197
Barnaby C F and Jasani B M: Performance of a high sensitivity liquid scintillation whole-body counter 91
Barnaby C F with Pringle D H: Performance of a high sensitivity liquid scintillation whole-body counter (L) 695
Barnes R K: Nuclear radiation measurement at the Physics Exhibition 808
Barnes H A with Thomas H W and Janes D E: A probe capillary viscometer 834
Barnes R L and Openshaw I K: A comparison of experimental and theoretical C_s values for some probe-forming lenses 628
Barrell H: Early days of the *Journal of Scientific Instruments* 501
Barton M J with Morgan F J and Gabriel A H: Absolute intensity calibration of a grazing incidence spectrograph in the wavelength region 10–120 Å 998
Batch B A Goldring B T and Winney P E: An instrument for measuring the mean surface profile of seal faces 344
Bateman D A and Killick D E: Air cooling for a neodymium-in-calcium tungstate laser (N) 476
Baturić-Rubčić J: An electrical analogy for nonlinear fields 1090
Bauer M: Pole piece saturation in magnetic electron lenses 1081
Bauer G and Heinrich H: A low-impedance high-voltage nanosecond pulser (N) 688

Beaton G V: Apparatus for the determination of internal friction and Young's modulus at high frequencies 735
Beattie D D: Temperature measurement of aluminium on an extrusion press using the new BACO radiation pyrometer 322
Beavitt A R Campbell D S and Chapman B N: A suspended disk vacuum gauge 45
Beckey H D Krone H and Roellgen F W: Comparison of tips, thin wires and sharp metal edges as emitters for field ionization mass spectrometry 118
Belan V G with Alikhanov S G Ivanchenko A I Karasjuk V N and Kichigin G N: The production of pulsed megagauss fields by compression of the metallic cylinder in Z-pinch configuration 543
Bell C Birkby C Hutton E and Stubbs E: A general purpose delay unit and its application to kinetic flash photolysis spectroscopy (N) 792
Bellhouse B J and Bellhouse F H: Thin-film gauges for the measurement of velocity or skin-friction in air, water or blood 1211
Bellhouse F H with Bellhouse B J: Thin-film gauges for the measurement of velocity or skin-friction in air, water or blood 1211
Bennett S J with Gates J W C: A confocal interferometer for pointing on coherent sources 1171
Berényi D Varga D Buday I Vaga L and Szalay A: Improvement of the resolution and transmission of a toroid-sector type beta spectrometer (N) 364
Bernstein W Cole A Coupland J Dubery V Shepherd V and Sweetman D: Methods of measurement and display of a time-varying hydrogen atom energy spectrum of energy between 2 kev and 1 Mev 741
van den Berg C B with Thiel R C and Stevens G: Mössbauer spectrometry by means of tape recorders 1069
Berteloot M with Guibé L: A marker for a frequency swept nuclear magnetic resonance or pure quadrupole resonance spectrometer (N) 950
Bhattacharya D with Wahi R P and Anantharanan T R: A modified technique for preparing disk specimens for transmission electron microscopy (N) 1231
Bhattacharyya S N with Choudhury J K: Measurement of frequency by the qradrant electrometer (L) 1261
Bigeleisen J with Ishida T: A greaseless valve for use in mercury reservoirs (N) 359
Birbeck F E: A gallium arsenide laser array for communications (N) 788
Birkby C with Bell C Hutton E and Stubbs E: A general purpose delay unit and its application to kinetic flash photolysis spectroscopy (N) 792
Birss R R Gibbs J I and Wallis P M: A crysotat for use with a torque magnetometer down to 4·2°K 15
Blackwell R and Carey R: A modified Kê torsional pendulum for stress and strain relaxation measurements (N) 1029
Blanc M with Arnould J Brochon J Kieffer O Pecresse J and Varloot D: Les instruments de mesure a bord du satellite FR-1 893
Blomqvist C E Forsell J and Persson B: An apparatus for repeated cleavage of rocksalt crystals in ultra-high vacuum (N) 1127
Blythe J H with Agar W O: An optical method of measuring transverse surface velocity 25
Bodin H A B with Heywood G C H: Low voltage transistor-switched capacitor bank for determining pulsed magnetic field distributions 347
Boerboom H with Inouye A J H: A method of measuring ion beam profiles (N) 484
Boland R J with Mills R: Pump for circulation of aqueous electrolytes (N) 483
Boltezer E Petrinović M and Sedlaček M: A permanent magnet for a nuclear magnetic resonance spectrometer 323
ten Bosch J J: A new measure of the sensitivity of electron spin resonance spectrometers 531
Bossler F C Franzblau M C and Rutherford J L: Torsion apparatus for measuring shear properties of adhesive bonded joints 829
Botfield R J Hill A N and Steptoe B J: A random access optical fixed store 810
Boult E H and Brabazon E J: A rotating device for use in metallizing nonconducting scanning electron microscope specimens (N) 565
Bourke P J with Pike E R Jackson D A and Page D I: Measurement of turbulent velocities from the Doppler shift in scattered laser light 727
Bourne A J and Danby C J: A technique for ion-trapping in pulsed-source mass spectrometry (N) 155
Brabazon E J with Boult E H: A rotating device for use in metallizing nonconducting scanning electron microscope specimens 565
Bradbury S: The development of the microscope during the last fifty years 3
Bradley D J and Majumdar S: Time dispersion effects in a multiple-beam storage, image tube framing camera 702
Bradshaw P: Thermal methods of flow measurement 504
Bransky I with Bransky J and Hirsch A A: Use of a commercial electric microbalance for highly sensitive magnetic torque measurements (N) 790
Bransky J Hirsch A A and Bransky I: Use of a commercial electric microbalance for highly sensitive magnetic torque measurements (N) 790
Brčić I Galogaža V and Petrinović M: A simple automatic magnetic field calibrator 765
Bremer C G with Wells O C: Voltage measurements in the scanning electron microscope 902
Brett E H: Modifications to a high-temperature furnace attachment for single-crystal x-ray work (N) 1254
Bridgman K B with Simpson C J S M and Chandler T R D: A short-duration spark light source (N) 568
Brignell J E with Metzmacher K D: Automatic measurement of nanosecond random time-lags 1219
Brinkworth B J with Edwards J: A device for the control of particle size in the La Mer aerosol generator 636
Broadbent A: A solid-state linear ramp generator for use in crystal growth by liquid epitaxy 921
Broadbent T E: Absolute measurement of high voltage by a null method using strain gauges 341
Brochon J with Arnould J Blanc M Kieffer O Pecresse J and Varloot D: Les instruments de mesure a bord du satellite FR-1 893
Brookes C A Greenwood J H and Routbort J L: Tensile apparatus for measurements at very high temperatures (N) 495
Brooks R R and Whitehead N E: A fluorimetric attachment for an atomic-absorption spectrophotometer (N) 879
Broomhead P with Bullough K Hughes A R W Hudson T Hickinson D and Tomlinson P: The Sheffield University v.l.f. experiment on the satellite Ariel 3 77
Brovang S with Rasmussen H: A simple transmission-to-extinction converter (N) 564
Brown D A Daly P J Dangor A E Dunnett R M and Parkinson G J: Production of accurate toroidal sections in Pyrex and quartz (N) 771
Brown M T with Burge R E and Garrard D F: The response of photographic emulsions to electrons in the energy range 7–60 kev 707
Bruner L J with Huebner J S: A proportioning temperature controller using thyristors (N) 1128

Buckley T with Sikorski J Moss J S and Newman P H: A new preparation technique for examination of polymers in the scanning electron microscope 29
Bucklow I A and Wilson J F: A fascia technique for float-zone metal crystals (N) 363
Buckmaster H A with Langeveld P T M Mehlkopf A F Smidt J and Dering J C: The sensitivity of electron paramagnetic spectrometers using parametric and maser preamplifiers (L) 888
Buday I with Berényi D Varga D Varga L and Szalay A: Improvement of the resolution and transmission of a toroid sector type beta spectrometer (N) 364
Bullough K Hughes A R W Hudson T Hickinson D Broomhead P and Tomlinson P: The Sheffield University v.l.f. experiment on the satellite Ariel 3 77
Bunton G V and Weintroub S: A method for the comparison of the intensities of two light beams from a double optical lever system (N) 958
Burge R E and Garrard D F: The resolution of photographic emulsions for electrons in the energy range 7–60 kev 715
Burge R E Garrard D F and Browne M T: The response of photographic emulsions to electrons in the energy range 7–60 kev 707
Butcher G with Livesey R G: The proton scattering microscope 820
Butterworth G J: Effect of detector response time on the distortion of spectral peaks of Gaussian shape 1165

Calder C A: A simple, inexpensive projectile velocity gauge (N) 882
Campbell D S with Beavitt A R and Chapman B N: A suspended disk vacuum gauge 45
Cane R F: A versatile electronic on–off controller (N) 566
Carden P O: Mechanical stresses in bonded plane helical soleniods with arbitrary external field 437
Carden P O Miles W M Parkes R W and Whelan R E: A stationary contacting thermocouple device for measuring the temperature of rapidly moving surfaces 757
Carey R with Blackwell R: A modified Kê torsional pendulum for stress and strain relaxation measurements (N) 1029
Carney J and Green A: Magneto-optic observation of magnetic domains in high coercivity films (N) 671
de Caroni C A with Pissanetzky S and Manghi E: A simple method for determining the orientation of magnetic axes in large single crystals for nuclear quadrupole resonance observations 918
Carson D W with Baleshta T M: Apparatus for measuring thermoelectric powers of semiconductors from 77 to 660°K (N) 469
Cavill G with Cook T: An experimental arrangement for direct high-strain fatigue tests at elevated temperatures 337
Cecchini A, De Angelis A, Gratton R and Parlanger F: Suitable targets for the production of a deuterium plasma cloud in a vacuum environment with a laser pulse (N) 1040
Chadband W G: A versatile high-voltage pulse generator (N) 1133
Chan Yet-Chong and Forrest A M: A platinum resistance thermometer calibration between 2°K and 273·15°K 839
Chandler T R D with Simpson C J S M and Bridgman K B: A short-duration spark light source (N) 568
Chapman B N with Beavitt A R and Campbell D S: A suspended disk vacuum gauge 45
Chappell M J and Jones R H: A method of measuring the piezoresistance effect in semiconductors 546
Charles A: Phase-lock circuit for a 100 MHz nuclear magnetic resonance spectrometer (N) 64
Chester P F with Edmond J T and Male J C: On the suitability of liquid semiconductors for resistance thermometry in nuclear reactors 373
Choudhury J K and Bhattacharyya S N: Measurement of frequency by the quadrant electrometer (L) 1261
Chumbley L Dyer R F and Wallis D E: A triple-axis spectrometer for neutron inelastic scattering 528
Chytrý V and Lím D: All-glass recording membrane manometer (N) 964
Clark B A J: Measurement of dense filters with a Cary 14R spectrophotometer (N) 1246
Clark R D: A simplified equation for calculation of small temperature difference from resistance thermometer measurements (N) 785
Clark B A J and Wilbur-Ham J: A closed-circuit television system for instrument reading (N) 875
Clark W G with Warren W W: Simple furnace for high temperature nuclear magnetic resonance experiments 1019
Clarke D and Ibbett R N: A three-channel astronomical photoelectric spectropolarimeter 409
Clayton N S: Apparatus to measure metal–oxide–silicon capacitance at very low frequencies (N) 662
Cloutier G G with Drouet M G: Necessity of phase reference in Langmuir probe analysis of a positive column containing moving striations (N) 1035
Clutterbuck E K with Pummell L J H: High temperature seal for brittle materials (N) 1233
Coates P B: The correction for photon 'pile-up' in the measurement of radiative lifetimes (N) 878
Coates P B: Fast measurement of short time intervals 1223
Coates L J and Smith P: A novel application of parallel strip hinges (N) 68
Cocking S J McPhee R C and Wignall G D: A simple heating arrangement for use in neutron scattering experiments (N) 367
Cole A with Bernstein W Coupland J Dubery P Shepherd V and Sweetman D: Methods of measurement and display of a time-varying hydrogen atom energy spectrum of energy between 2 kev and 1 Mev 741
Collier R J Collins M A and Moss D G: An X-band electron spin resonance spectrometer with a ruby maser preamplifier 607
Collins B G: A long wave radiation source for net pyrradiometer calibration (N) 62
Collins M A with Collier R J and Moss D G: An X-band electron spin resonance spectrometer with a ruby maser preamplifier 607
Cook A H: Fifty years of measurement standards 73
Cook T and Cavill G: An experimental arrangement for direct high-strain fatigue tests at elevated temperatures 337
Coomber R S with Cowlin P: A fluorescence trace detector for on-line contamination monitoring 815
Coupland J with Bernstein W Cole A Dubery P Shepherd V and Sweetman D: Methods of measurement and display of a time-varying hydrogen atom energy spectrum of energy between 2 kev and 1 Mev 741
Cowlin P and Coomber R S: A fluorescence trace detector for on-line contamination monitoring 815
Craik D J: The measurement of magnetization using Hall probes 1193
Crawley D F C: Micromesh sieve analysis using high frequency ultrasonic vibrations (N) 575
Creek D M Petty R and Jonathan N: A fast sorption pump for the 10–150 mtorr region (N) 582
Crisp R S: The thermal response time of long uniform thermal conductivity specimens (N) 1131
Cromey P R with Smith D: An inexpensive bakeable quadrupole mass spectrometer 523

Cross N L: A humidity control system for a small chamber (N) 65
Cross J D and Cross P M: Scanning electron microscopy of materials containing water without a refrigerated stage (N) 1123
Cross P M with Cross J D: Scanning electron microscopy of materials containing water without a refrigerated stage (N) 1123
Crow I G: High vacuum valve for shock-tube application (N) 666
Crowther R A with Mallet J F W and Arndt U W: A computer-linked cathode-ray tube microdensitometer for x-ray crystallography 510
Cundall R B and Evans G B: A fully compensated versatile spectrofluorimeter 305
Curtis G J: The application of Edser–Butler fringes to measurement of small fibre diameters 1175

Daly P J with Brown D A Dangor A E Dunnett R M and Parkinson G J: Production of accurate toroidal sections in Pyrex and quartz (N) 771
Danby C J with Bourne A J: A technique for ion-trapping in pulsed-source mass spectrometry (N) 155
Danby C J with Eland J D H: A parallel-plate photoelectron spectrometer 406
Danby P C G and Gerard V B: Coherent amplifier design (L) 1262
Dangor A E with Brown D A Daly P J Dunnett R M and Parkinson G J: Production of accurate toroidal sections in Pyrex and quartz (N) 771
Datars W R with Verge C: An electronic spark cutter (N) 1239
Davies E R and Hurrell J B: A ligand-ENDOR spectrometer 847
Davies T W with Kao K C: Spectrophotometric studies of ultra low loss optical glasses 1: single beam method 1063
Davis S Deer J J and Warburton B: A concentric cylinder air turbine viscometer 933
Davydov G V: A back-reflection focusing camera KPF-150 for x-ray structural analysis of polycrystals (N) 876
Davydov G V: The geometry of the instrumental x-ray diffraction line width in a back-reflection focusing camera with the point source displaced from the focusing circle (N) 877
Dean R H and Furley R J: A simple method for claibration of noisy nuclear magnetic resonance signals (N) 57
Deer J J with Davis S S and Warburton B: A concentric cylinder air turbine viscometer 933
Deer J Ridgway K and Rupp R: A simple and cheap photo-sensitive transformer bridge for the analysis of powder mixtures (N) 778
Delong A and Drahoš V: On some new features of an electron emission microscope 397
Dering J C with Langeveld P T M Mehlkopf A F Smidt J and Buckmaster H A: The sensitivity of electron paramagnetic spectrometers using parametric and maser preamplifers (L) 888
Dennis W L: An apparatus for accurately projecting a drop of known size with a given velocity (N) 1130
Deshphande V V with Karkhanavala M D and Daroowala S H: Attachments to the Stanton thermobalance for combined thermogravimetric and differential thermal analysis (N) 1025
Desvaux M P E: A replica technique for measuring incremental slip step heights 558
Dickinson C S: A method of flatness control in optical polishing (N) 365
Dingley R G and Seward R J: A method of sizing imaged spheres (N) 467
Dixon A and Elwell D: High temperature contact electrodes for ferrites (N) 497
Drahoš V with Delong A: On some features of a new electron miscroscope emission 397
Drake A E: The accuracy and repeatability of volt–ampere measurements on electrical sheet steel at high flux densities (N) 881
Drouet M G and Cloutier G G: Necessity of phase reference in Langmuir probe analysis of a positive column containing moving striations (N) 1035
Dubery P with Bernstein W Cole A Coupland J Shepherd V and Sweetman D: Methods of measurement and display of a time-varying hydrogen atom energy spectrum of energy between 2 kev and 1 Mev 741
Dugdale R A with Harmer P R and Ford S D: Electron bombardment luminescence stage for optical microscopy (N) 59
Duncan W J: A simple thyristor furnace controller (N) 58
Dunnett R M with Brown D A Daly P J Dangor A E and Parkinson G J: Production of accurate toroidal sections in Pyrex and quartz (N) 771
Dye T G Fursey A Lloyd G O and Robson M: Stripping thin oxide films from metals 463
Dyer R F with Wallis D E and Chumbley L: A triple-axis spectrometer for neutron inelastic scattering 528

Eades J A and McIntyre K G: A technique for cutting disks from sheet gold (N) 491
Eccleshall J: Protection of low power r.f. oscillators against changes in matching conditions (N) 155
Edgar R F: The piezoelectric control of spring strip mounts (N) 352
Edge R M: The operation and calibration of a miniature turbine flowmeter with gases at low rates 35
Edmond J T Male J C and Chester P F: On the suitability of liquid semiconductors for resistance thermometry in nuclear reactors 373
Edwards J and Brinkworth B J: A device for the control of particle size in the La Mer aerosol generator 636
Eland J D H and Danby C J: A parallel-plate photoelectron spectrometer 406
Ellison A J with Moore C J: An acoustic power measuring device 659
Elwell D with Dixon A: High temperature contact electrodes for ferrites (N) 497
Emmerson J D and Job B E: Field ionization mass spectrometry with a modified MS 9 spectrometer 611
Endrud G H with Barbee D G: A differential thermistor gauge for macroscopic velocity in rarefied gases 1197
English P E and Hitchcock S S: A self-balancing line-reversal pyrometer 984
Ennos A E: Measurement of in plane surface strain by hologram interferometry 731
Ennos A E: Optics at the Physics Exhibition 805
Evans G B with Cundall R B: A fully compensated versatile spectrofluorimeter 305
Evans J H and Eyre B L: A high speed quenching apparatus using mercury as a quenching medium (N) 578
Evans L R and Grey Morgan C: Laser beam power control device 856
Evans M J B with Nash P J: A vapour thermostat and sample holder for simultaneous x-ray and gas sorption studies (N) 691
Eyre B L with Evans J H: A high speed quenching apparatus using mercury as a quenching medium (N) 578
Eyre B L Maher D M and Roberton D H: Calibration of magnification, camera constant and image rotations for a Jem 7 electron microscope 851

Fabula A G: Theoretical frequency response of stagnation-region thin-film thermometers 1200

Feigenbutz L V: Thermoelectric potentials for a tungsten-tantalum thermocouple from 0 to 420° C (N) 489
Fellgett P B: The development of astronomical instrumentation during the past 50 years 1141
Ferguson J A with Bailey B J and Moses J Ll: Two flowmeters using electronic timing (N) 562
Fernández A: A method of making ohmic contacts to p-type silicon crystals (N) 782
Figiel H Krop K and Mizia J: Initial susceptibility and magnetic after-effect measurements with the aid of a Förster probe (N) 1039
Firth I M and van Mal H H: Heater circuits for calorimetry 465
Fitch R K and Thatcher W J: A small volume orbitron gauge with stable ion current characteristics 317
Fleischmann M and Hiddleston J N: A palladium–hydrogen probe electrode for use as a microreference electrode (N) 667
Flemming J P: A low energy scanned electron beam potential probe 1179
Ford S. D with Harmer P R and Dugdale R A: Electron bombardment luminescence stage for optical microscopy (N) 59
Forrest A M with Chan Yet-Chong: A platinum resistance thermometer calibration between 2°K and 273·15°K 839
Forrest W W and Stephen V A: Analogue circuit for accurate evaluation of small power inputs in microcalorimetry (N) 1024
Forsell J with Blomqvist C E and Persson B: An apparatus for repeated cleavage of rocksalt crystals in ultra-high vacuum (N) 1127
Foster R and Moffitt B R: An intermittent traversing gear for small wind tunnels 1011
Fraikor F J Prochazka D B and Grotzky V K: A foot-operated electric drive for the rotating–tilting stage of the EM-200 electron microscope (N) 355
Fraissard J with Zalma R and Guerin M: Automaticité de la mesure d'une résistance variable application à la détermination du niveau d'une colonne de mercure (N) 114
Francis J M and Jutson J A: The application of thin layer x-ray fluorescence analysis to oxide composition studies on stainless steels (N) 772
Francis H A and Presland A E B: A four-ball machine with three wear tracks (N) 1234
Franks A with Stanley V W and Lindsey K: A simple ruling engine for x-ray gratings 643
Franks F and Watson B: A differential calorimeter for the measurement of heats of solution at high dilutions 940
Franzblau M C with Bossler F C and Rutherford J L: Torsion apparatus for measuring shear properties of adhesive bonded joints 829
Friskney C A and Haworth C W: Electron probe microanalysis of metal oxides 753
Frith R: Meteorological soundings in the earth's higher atmosphere 278
Furley R J with Dean R H: A simple method for calibration of noisy nuclear magnetic resonance signals (N) 57
Fursey A: A mask to make tartan carbon film for electron microscopy (N) 357
Fursey A with Dye T G Lloyd G O and Robson M: Stripping thin oxide films from metals 463

Gabriel A H with Morgan F J and Barton M J: Absolute intensity calibration of a grazing-incidence spectrograph in the wavelength region 10–120Å 998
Gale H J with Gibson J A B: Absolute standardization with liquid scintillation counters 99
Gallinaro G Meneghetti L and Pescetti D: Use of an undamped galvanometer as low frequency bandpass filter in lock-in amplifiers (N) 678
Galogaža V Brčić I and Petrinović M: A simple automatic magnetic field calibrator 765
Gardiner G W with Hall M P M: A psychrometer radiosonde developed for determininig radio refractive index as a function of height 401
Garrard D F with Burge R E: The resolution of photographic emulsions for electrons in the energy range 7–60 kev 715
Garrard D F with Burge R E and Browne M T: The response of photographic emulsions to electrons in the energy range 7–60 kev 707
Gates J W C: Holography with scatter plates 989
Gates J W C and Bennett S J: A confocal interferometer for pointing on coherent sources 1171
Gerard V B: A coherent amplifier 552
Gerard V B: A thermally operated displacement transducer (N) 884
Gerard V B with Danby P C G: Coherent amplifier design (L) 1262
Gerber R and Vilím F: An automatic compensated torque balance for the measurement of magnetic anisotropy in the broad temperature range from the helium temperature upwards 389
Gibbs J I with Birss R R and Wallis P M: A cryostat for use with a torque magnetometer down to 4·2°K 15
Gibson J A B and Gale H J: Absolute standardization with liquid scintillation counters 99
Gjessing D T Holm C Lanes T and Tangerud A: A simple instrument for the measurement of fine scale structure of temperature and humidity, and hence also the refractive index, in the troposphere 107
Glasel J A: A simple device for T_1 measurements on a nuclear magnetic resonance spectrometer by adiabatic rapid passage (N) 963
Glover G M Hall G Matheson A J and Stretton J L: A magnetostrictive instrument for measuring the viscoelastic properties of liquid in the frequency range 20–100 kHz 383
Goldberg J L: A method of measuring vibratory displacements in terms of a light wavelength (N) 481 corr. 971
Goldring B T with Batch B A and Winney P E: An instrument for measuring the mean surface profile of seal faces 344
Goodspeed M J and Savage J V: An analogue-to-digital converter for chart records 451
Gould R W and Hendricks R W: A high temperature vacuum sample holder for the Kratky camera (N) 681
Grant E H with Young S E: Measurement of permittivity of some biological solutions at frequencies below 1MHz 429
Gratton R with Cecchini A De Angelis A and Parlange F: Suitable targets for the production of a deuterium plasma cloud in a vacuum environment with a laser pulse (N) 1040
Green A with Carney J: Magneto-optic observation of magnetic domains in high coercivity films (N) 671
Green G J with Huggins F G: An x-radiation protection shield for the Philips texture goniometer attachment (N) 668
Green R with Nicol G R: A buffer (power amplifier) for driving pen recorders (N) 962
Greenwood J H with Brookes C A and Routbort J L: Tensile apparatus for measurements at very high temperatures (N) 495
Grey I E and Smith P W: Accurate determination of lattice parameters on air-sensitive compounds (N) 693
Grey Morgan C with Evans L R: Laser beam power control device 856
Griffiths H A H: A velocity-sensitive vibration transducer using air suspension (N) 494
Grotzky V K with Fraikor F J and Prochazka D B: A foot-operated electric drive for the rotating–tilting stage of the EM-200 electron microscope (N) 355

Guérin M with Zalma R and Fraissard J Automaticité de la mesure d'une résistance variable–application à la détermination du niveau d'une colonne de mercure (N) 141
Guibé L and Berteloot M: A marker for a frequency swept nuclear magnetic resonance or pure quadrupole resonance spectrometer (N) 950

Hall M P M and Gardiner G W: A psychrometer radiosonde developed for determining radio refractive index as a function of height 401
Hall G with Glover G M Matheson A J and Stretton J L: A magnetrostrictive instrument for measuring the viscoelastic properties of liquids in the frequency range 20–100 kHz 383
Hara E: High flow-rate calorimeter for ion beam intensity measurements (N) 1032
Hardcastle K I and Stock A D: Computer indexing of x-ray and neutron powder diffraction patterns of cubic, tetragonal, orthorhombic and hexagonal structures (N) 951
Hardy J A: The cooling of crystals in x-ray crystallography (N) 580
Harmer P R Ford S D and Dugdale R A: Electron bombardment luminescence stage for optical microscopy (N) 59
Harper D W: A comparative method of checking angles on glass samples (N) 687
Harris P B: A simple ultra-violet sensor and integrating recorder for long-term field operation 1007
Harris A M, Jackson J H and Walker W N: A heating rate controller for thermoluminescence studies (N) 1134
Harris J and Wilkinson W L: Self-aligning platens for the Weissenberg rheogoniometer (N) 1030
Harry J E and Rayner P J W: A high current mains frequency synchronous switch (N) 570
Hartman R L: Another simple flood protection device for cooling systems (N) 684
Hauptmann E G: A simple hot wire anemometer probe (N) 874
Hauptman Z and Stephenson A: A technique for growing ulvöspinel single crystals from the melt (N) 1236
Haworth C W with Friskney C A: Electron probe microanalysis of metal oxides 753
Hayes D J: The sensitivity of the thermistor katharometer 761
Heathcote A: A system for protecting variable temperature nuclear magnetic resonance probes against damage by overheating (N) 356
Heinrich H with Bauer G: A low-impedance high-voltage nano second pulser (N) 688
Henderson W F with Arney Jr G D: A mobile calibrator for intermediate range vacuum gauges (N) 966
Hendricks R W with Gould R W: A high-temperature vacuum sample holder for the Kratky camera (N) 681
Henriet-Iserentant C M with Van Outryve E J: Two channel data logger (N) 793
Herrell D J: A versatile analogue circuit based on a novel method of division 1217
Hertel I V and Ross J: An atomic beam oven with very low associated magnetic field (N) 1245
Heukelom W Klomp A J G and Niesman Th W: An improved mobile unit for the dynamic testing of pavements 127
Hey E N: Small globe thermometers (N) 955 corr. 1260
Heywood G C H and Bodin H A B: Low voltage transistor-switched capacitor bank for determining pulsed magnetic field distributions 347
Hickinson D with Bullough K Hughes A R W Hudson T Broomhead P and Tomlinson P: The Sheffield University v.l.f. experiment on the satellite Ariel 3 77
Hiddleston J N with Fleischmann M: A palladium–hydrogen probe electrode for use as a microreference electrode (N) 667
Hill D W: Progress in medical instrumentation over the past fifty years 697
Hill G J: The influence of positioning errors on susceptibility measurement by the Faraday method 52
Hill A N with Botfield R J and Steptoe B J: A random access optical fixed store 810
Hill M J Holt D B and Unvala B A: Automatic jet thinning of GaAs for transmission electron microscopy 301
Hill G J with Martin R H: Calibration of pole tips suitable for a magnetic balance (N) 1257
Hill M P and Moore A H: Compact version of the ball and socket ultra-high vacuum valve (N) 952
Hill H D W and Richards R E: Limits of measurement in magnetic resonance 977
Hillenkamp F: On the calibration of laser-cone calorimeters (N) 1022
Hines R E with Jefkins D M: A goniometer for aligning large single crystals prior to cutting (N) 690
Hirsch A A with Bransky J and Bransky I: Use of a commercial electric microbalance for highly sensitive magnetic torque measurements (N) 790
Hitchcock S S with English P E: A self-balancing line-reversal pyrometer 984
Holden S: Optical pattern classification 827
Holland L Putner T and Jackson G N: A radio frequency dielectric sputtering system with non-grounded electrodes 32
Holm C with Gjessing D T Lanes T and Tangerud A: A simple instrument for the measurement of fine scale structure of temperature and humidity, and hence also the refractive index, in the troposphere 107
Holt D B with Hill M J and Unvala B A: Automatic jet thinning of GaAs for transmission electron microscopy 301
Hooper A H: Meteorological instrumentation II: routine instruments for upper air observations 272
Hotston E: The measurement of the deflection of an oscillating bar by a millimetre wave interferometer (N) 783
Ho-Tun E and Rossouw A J: Two types of sample holder for the Phillips PW 1064 sample spinning device used in PW 1050 x-ray diffractometer (N) 151
Howat D D with Sommer G and Jochens P R: Solid state circuitry for a microdifferential thermal analyser 1116
Hudson T with Bullough K Hughes A R W Hickinson D Broomhead P and Tomlinson P: The Sheffield University v.l.f. experiment on the satellite Ariel 3 77
Huebner J S and Bruner L J: A proportioning temperature controller using thyristors (N) 1128
Huggins F G and Green G J: An x-radiation protection shield for the Philips texture goniometer attachment (N) 668
Hughes A R W with Bullough K Hudson T Hickinson D Broomhead P and Tomlinson P: The Sheffield University v.l.f. experiment on the Satellite Ariel 3 77
Hughes T G and Smith J M: Still stroboscopic viewing of a ciné record 819
Hui S W: A simple low-temperature goniometer head (N) 474
Hunt G R and Vincent R K: Modification to the Perkin–Elmer reflectance attachment for studying powders (N) 470
Hunt R T with Williamson J B P: Relocation profilometry 749
Hunt J L and Winkel R G: A carbon furnace infra-red source (N) 55
Hurrell J P with Davies E R: A ligand-ENDOR spectrometer 847
Hutchison H P with Sanni S A: The diaphragm cell method for diffusion measurements at temperatures up to 60° C 1101
Hutton E with Bell C Birkby C and Stubbs E: A general purpose delay unit and its application to kinetic flash photolysis spectroscopy (N) 792
Hyde A F and Redford R A: A controlled-temperature cold trap (N) 871

Ibbett R N with Clarke D: A three-channel astronomical photoelectric spectropolarimeter 409
Ibbett R N and Selby M J: A digital recording system for Fourier transform spectrometry 745
Iernetti G and Barattini A: A cell for ultrasonic cavitation experiments 549
Imhof R E and Read F H: A three-aperture electron optical lens for producing an image of variable energy but fixed position 859
Inall E K and Smith B D: Trace identification for a multi-trace oscilloscope display (N) 959
Innes J with Abrahamsson S and Aleby S: An x-ray diffraction camera for fast recording of three-dimensional data (N) 869
Inouye H and Boerboom A J H: A method of measuring ion beam profiles (N) 484
Isaacson R: Use of field modulation with boxcar integrator to measure relaxation time in electron spin resonance experiments (N) 1137
Ishida T and Bigeleisen J: A greaseless valve for use in mercury reservoirs (N) 359
Ivanchenko A I with Alikhanov S G Belan V G Karasjuk V N and Kichigin G N: The production of pulsed megagauss fields by compression of the metallic cylinder in Z-pinch configuration 543
Ivins R O with Witte L C Silverman M B and Baker L: An apparatus for obtaining extremely large heat flux densities 555

Jackson R S: A hand-held dynamic strain gauge 937
Jackson J H with Harris A M and Walker W N: A heating rate controller for thermoluminescence studies (N) 1134
Jackson G N with Holland L and Putner T: A radio frequency dielectric sputtering system with non-grounded electrodes 32
Jackson D A and Pike E R: An automatic scanning Fabry–Pérot etalon using multichannel data storage 394
Jackson D A with Pike E R Bourke P J and Page D I: Measurement of turbulent velocities from the Doppler shift in scattered laser light 727
Jacobs R with Van Outryve E: Modulation systems for galvanometer controlled temperature (N) 679
Jaeger J C and Rosengren K J: Simple photographic equipment for borehole surveying (N) 139
Janes D E with Thomas H W and Barnes H A: A probe capillary viscometer 834
Jasani B M with Barnaby C F: Performance of a high sensitivity liquid scintillation whole-body counter 91
Jefkins D M and Hines R E: A goniometer for aligning large single crystals prior to cutting (N) 690
Jenkins P W with Newton W H: A radial disk meter for measurement of heat flux in domestic coal-fired boilers (N) 664
Job B E with Emmerson J D: Field ionization mass spectrometry with a modified MS 9 spectrometer 611
Jochens P R with Sommer G and Howat D D: Solid state circuitry for a microdifferential thermal analyser 1116
Johnson L W with Allen P S: A method of synchronizing the frequency sweep of a nuclear resonance spectrometer to the memory scan of a computer of average transients (N) 966
Johnson E R: Two optical methods of measuring model incidence in a wind tunnel (N) 468
Johnson E R: A low-luminence standard source covering four orders of magnitude (N) 479
Jonathan N with Creek D M and Petty R: A fast sorption pump for the 10–150 mtorr region (N) 582
Jones D G C with Allen L and Sayers M D: An improved intra-cavity reflecting element for las laser Q control 133
Jones R H with Chappel N J: A method of measuring the piezoresistance effect in semiconductors 546
Jones W M Maidment D and Morgan D V: A simple ionic flowmeter for measuring very small rates of flow of air 623
Jutson J A with Francis J M: The application of thin layer x-ray fluorescence analysis to oxide composition studies on stainless steels (N) 772

Kamel M M, Lundstrom E and Oppenheim A K: Apparatus for continuous flow mixing of explosive gases 459
Kanaya K Yamazaki H Takano Y and Kobayashi M: Quantitative measurement of electron probes by the shadow projection method and its application to a microfocus x-ray unit 289
Kandiah K: Nuclear instruments over the last fifty years 369
Kao K C and Davies T W: Spectrophotometric studies of ultra low loss optical glasses 1: single beam method 1063
Karasjuk V N with Alikhanov S G Belan V G Ivanchenko A I and Kichigin G N: The production of pulsed megagauss fields by compression of the metallic cylinder in Z-pinch configuration 543
Karkhanavala M D Desphande V V and Daroowala S H: Attachments to the Stanton thermobalance for combined thermogravimetric and differential thermal analysis (N) 1025
Kemplay J R Vernon P and Vincent C H: The comparison between a special shift register and a scaler for derandomization (L) 694
Kichigin G N with Alikhanov G N Belan V G Ivanchenko A I and Karasjuk V N: The production of pulsed megagauss fields by compression of the metallic cylinder in Z-pinch configuration 543
Kieffer O with Arnould J Blanc M Brochon J Pecresse J and Varloot D: Les instruments de mesure a bord du satellite FR-1 893
Killick D E with Bateman D A: Air cooling for a neodynium-in-calcium tungstate laser (N) 476
Kind H with Verheyden L and Klein K: A bakeable and direct joint between a fused quartz tube and a metal tube (N) 145
King A E: Selected area replication (N) 1036
King A E: Push–pull fatigue modifications to a Hounsfield tensometer (N) 1038
King G D: Control system for induction heated floating-zone refining 923
King C D with Powell B A: The production of 15 μm liquid hydrogen droplets (N) 670
Klein K with Verheyden L and Kind H: A bakeable and direct joint between a fused quartz tube and a metal tube (N) 145
Klemperer F and Snaith D J C: Liquid nitrogen trap topper (N) 1232
Klomp A J G with Heukelom W and Niesman Th W: An improved mobile unit for the dynamic testing of pavements 127
Kobayashi K with Kanaya K Yamazaki H and Takano Y: Quantitative measurement of electron probes by the shadow projection method and its application to a microfocus x-ray unit 289
Koepke B G and Scott T E: A simple apparatus for measuring creep rates in the 10^{-7} min^{-1} range at 77°K (N) 954
Kouyu Miyazaki: A photoelectric tachometer (N) 486
Kremmer J with Rothenstein B F and Artzner J: The acoustic aspect of the Procopiu effect in a ferromagnetic sample free at one end (N) 960
Krone H with Beckey H D and Roellgen F W: Comparison of tips, thin wires and sharp metal edges as emitters for field ionization mass spectrometry 118
Krop K with Figiel H and Mizia J: Initial susceptibility and magnetic after-effect measurements with the aid of a Förster probe (N) 1039

Kuehn L A and Weaver R S: A system for recording temperatures in the vicinity of liquid surfaces (N) 776
Kylberg G: Measurement of interference fringe separation by a moiré technique (N) 676

Ladell J with Abowitz G: A low temperature system for automatic single crystal diffractometry 113
Lamb P with Raha S and Williams M J: Cone and plate rheometer for polymer melts 1113
Lanchester P C: A simple n.m.r. frequency sweep circuit (N) 1248
Lanes T with Gjessing D T Holm C and Tangerud A: A simple instrument for the measurement of fine scale structure of temperature and humidity, and hence also the refractive index, in the troposphere 107
Langeveld P T M Mehlkopf A F Smidt J Buckmaster H A and Dering J C: The sensitivity of electron paramagnetic spectrometers using parametric and maser preamplifiers (L) 888
Learner R C M: Spectrograph design 1918–68 589
Leclerc P and Voos M: Fast infra-red pulse generator (N) 478
Lees J and McCartney J H: Single crystal measurements and stress difference in solid pressure-transmitting media 911
Legg B J and Parkinson K J: Calibration of infra-red gas analysers for use with carbon dioxide 1003
Lehtinen B: The thinning of tungsten carbide–cobalt hard metals to electron transparency by electropolishing (N) 673
Leppard C J and Spencer D H T: A low-pressure mercury porosimeter for measuring macropores (N) 573
Lidwell O M and Wyon D P: A rapid response radiometer for the estimation of mean radiant temperature in environmental studies 534
Lím D with Chytrý V: All-glass recording membrane manometer (N) 964
Lindsey K with Stanley V W and Franks A: A simple ruling engine for x-ray gratings 643
Livesey R G and Butcher G: The proton scattering microscope 820
Livesey R G and Lyford E: Electrophoretic deposition of luminescent powder (N) 948
Livesey R G Lyford E and Moore H: A technique for the production of transparent, electrically conducting tin oxide films on glass substrates (N) 947
Lloyd J T: A dual range manometer (N) 490
Lloyd G O with Dye T G Fursey A and Robson M: Stripping thin oxide films from metals 463
Loasby R G: A low inertia hot–cold microscope stage (N) 148
Lovell S and Rollinson E: The measurement of superficial density of thin self-supporting metal films by electron transmission (N) 1032
Lowe I J and Tarr C E: A fast recovery probe and receiver for pulsed nuclear magnetic resonance spectroscopy 320
Lowe I J and Tarr C E: A high-power untuned radio-frequency transmitter for pulsed nuclear magnetic resonance spectroscopy 604
Lundstrom E with Kamel M M and Oppenheim A K: Apparatus for continuous flow mixing of explosive gases 459
Luxmoore A: Anti-parallax device for observation of moiré fringes (N) 674
Lyford E with Livesey R G: Electrophoretic deposition of luminescent powder (N) 948
Lyford E with Livesey R G and Moore H: A technique for the production of transparent, electrically conducting tin oxide films on glass substrates (N) 947
Lynch L J with Webster D S: A liquid cell cryostat with thermistor amplifier feedback control for use with nuclear magnetic resonance spectrometers (N) 1253

McCartney J H with Lees J: Single crystal measurements and stress difference in solid pressure-transmitting media 911
McIntyre K G with Eades J A: A technique for cutting disks from sheet gold (N) 491
Mackay A L: Diffraction measurements with the electron microscope 907
McKinnon J B: A particularly simple and inexpensive high vacuum lead-through (N) 969
McLaren K G and Williams W T: Simple automatic magnetic roller gas mixing device (N) 561
MacLennon D N and Wells F H: A wide range digitizer for direct coupled analogue signals 284
McMullan D and Oliver M: Thermoelectric cooling device for image intensifiers (N) 1255
McPhee R C with Cocking S J and Wignall G D: A simple heating arrangement for use in neutron scattering experiments (N) 367
Maher F J: A sensitive thermometer (N) 584
Maher D M with Eyre B L and Robertson D H: Calibration of magnification, camera constant and image rotations for a Jem 7 electron microscope 851
Maidment D with Morgan D V and Jones W M: A simple ionic flowmeter for measuring very small rates of flow of air 623
Majumdar S with Bradley D J: Time dispersion effects in a multiple-beam storage, image tube framing camera 702
van Mal H H with Akerboom F: An improved form of mercury manometer (N) 689
van Mal H H with Firth I M: Heater circuits for calorimetry 465
Male J C with Edmond J T and Chester P F: On the suitability of liquid semiconductors for resistance thermometry in nuclear reactors 373
Mallet J W F with Arndt U W and Crowther R A: A computer-linked cathode-ray tube microdensitometer for x-ray crystallography 510
Manghi E with Pissanetzky S and de Catoni C A: A simple method for determining the orientation of magnetic axes in large single crystals for nuclear quadrupole resonance observations 918
Manley T R and Oughtred R E: Methacrylate adhesive for mounting crystals for x-ray examination (N) 585
Marette G with Vreux J M: Wavelength dependence of the distribution of relative sensitivity over the photo cathodes of RCA photomultipliers type 4440 (N) 668
Marsh W R: Irradiation vessel for high temperatures and pressures 1183
Martin R H and Hill G J: Calibration of pole tips suitable for a magnetic balance (N) 1257
Martišovitš V and Szarka Š: An investigation of the energy gain in Bennett's radio-frequency mass spectrometer 326
Mason B J: Development of meteorological observing techniques in the satellite and computer age 257
Mastner L: A quasistatic hysteresis loop tracer 1249
Matheson A J with Glover G M Hall G and Stretton J L: A magnetostrictive instrument for measuring the viscoelastic properties of liquids in the frequency range 20–100 kHz 383
Meatyard R with Thomas L H and Smith H: A boiling-point method for the determination of low vapour pressure 1119
Mee C H B with Nathan R: The preparation of potassium–antimony–caesium photocathodes (N) 351
Mears D C: Use of tin (II) oxide coated glass for electrical analogues of electrochemical systems (N) 572
Mehlkopf A F with Langeveld P T M Smidt J Buckmaster H A and Dering J C: The sensitivity of electron paramagnetic spectrometers using parametric and maser preamplifiers (L) 888
Meldrum B H with O'Toole K M: An accelerometer calibrator for the low-frequency large-displacement range (N) 672

Meneghetti L with Gallinaro G and Pescetti D: Use of an undamped galvanometer as low frequency bandpass filter in lock-in amplifiers (N) 678
Metzmacher K D and Brignell J E: Automatic measurement of nanosecond random time-lags 1219
Miles W M with Carden P O, Parkes R W and Whelan R E: A stationary contacting thermocouple device for measuring the temperature of rapidly moving surfaces 757
Mills R and Boland R J: Pump for circulation of aqueous electrolytes (N) 483
Milne C R: Navigational instruments: progress during the last fifty years 1045
Miyazaki Kouyu: A photoelectric tachometer (N) 486
Mizia J with Figiel H and Krop K: Initial susceptibility and magnetic after-effect measurements with the aid of a Forster probe (N) 1039
Moffitt B R with Foster R: An intermittent traversing gear for small wind tunnels 1011
Molyneux L: A timing device for the measurement of damping capacity in vibrating samples 1214
Molyneux L: The experimental determination of damping factor by the decaying amplitude method (N) 1252
Moore C J and Ellison A J: An acoustic power measuring device 659
Moore A H with Hill M P: Compact version of the ball and socket ultra-high vacuum valve (N) 952
Moore H with Livesey R G and Lyford E: A technique for the production of transparent, electrically conducting tin oxide films on glass substrates (N) 947
Morgan F J Gabriel A H and Barton M J: Absolute intensity calibration of a grazing-incidence spectrograph in the wavelength region 10–120 Å
Morgan D V with Jones W M and Maidment D: A simple ionic flowmeter for measuring very small rates of flow of air 623
Morris K with Petley B W: The effect of the dimensions of an omegatron on its performance 417
Mortimer D with Sharp W B A: Accurate thermogravimetry in flowing gases 843
Moses J Ll with Bailey B J and Ferguson J A: Two flowmeters using electronic timing (N) 562
Moss D G with Collier R J and Collins M A: An x-band electron spin resonance spectrometer with a ruby maser preamplifier 607
Moss J S with Sikorski J Newman P H and Buckley T: A new preparation technique for examination of polymers in the scanning electron microscope 29
Munakata C: An application of beta-conductivity to measurement of resistivity distribution 639
Munro I H and Ramsay I A: Instrumental response time in fluorescence decay measurements (N) 147

Nachman M and Romalo D: Simple projecting device for observing cathode operation in a plasma-arc torch (N) 679
Nagy A Z and Vértes P: Correction for dry bulk density in measurements with neutron moisture gauges 1097
Nash P J and Evans M J B: A vapour thermostat and sample holder for simultaneous x-ray and gas sortion studies (N) 691
Nathan R and Mee C H B: The preparation of potassium–antimony–caesium photocathodes (N) 351
Netzer A with Shamir J: A laboratory distillation column for anhydrous hydrogen fluoride (N) 770
Newman P H with Sikorski J, Moss J S and Buckley T: A new preparation technique for examination of polymers in the scanning electron microscope 29
Newton W H and Jenkins P W: A radial disk meter for measurement of heat flux in domestic coal-fired boilers (N) 664
Nichols S: An integral design, rotating-anode electropolishing unit (N) 1251
Nicol G R and Green R: A buffer (power amplifier) for driving pen recorders (N) 962
Niesman Th W with Heukelom W and Klomp A J G: An improved mobile unit for the dynamic testing of pavements 127
Nixon W C with Paden R S: Retarding field scanning electron microscopy 1073
Nixon W C with Plows G S: Stroboscopic scanning electron microscopy 595
di Novi R A: Application of the pulse method to a specific heat and density-independent measurement of thermal conductivity: extension of the method to very small specimens 379

Ochs T: Orienting and polishing single crystals for ultrasonic measurements (N) 1122
Ogilvy H H: Track-to-train communication of a binary coded telegram 811
Oliver M with McMullan D: Thermoelectric cooling device for image intensifiers (N) 1255
Oppenheim A K with Kamel M M and Lundstrom E: Apparatus for continous flow mixing of explosive gases 459
Openshaw I K with Barnes R L: A comparison of experimental and theoretical C_s values for some probe-forming lenses 628
O'Toole K M and Meldrum B H: An accelerometer calibrator for the low-frequency large-displacement range (N) 672
Oughtred R E with Manley T R: Methacrylate adhesive for mounting crystals for x-ray examination (N) 585
van Overbeeke J: A simple system for proportional heat regulation (N) 491
Owston C N: Application of thermistors to optical pyrometry and temperature control 1228

Paden R S and Nixon W C: Retarding field scanning electron microscopy 1073
Page D I with Pike E R Jackson D A and Bourke P J: Measurement of turbulent velocities from the Doppler shift in scattered laser light 727
Parkes R W with Carden P O Miles W M and Whelan R E: A stationary contacting thermocouple device for measuring the temperature of rapidly moving surfaces 757
Parkinson M J: Measurement of the mass flow rate to airborne powdered material in a duct 823
Parkinson G J with Brown D A Daly P J Dangor A E and Dunnett R M: Production of accurate toroidal sections in Pyrex and quartz (N) 771
Parkinson K J with Legg B J: Calibration of infra-red gas analysers for use with carbon dioxide 1003
Parlange F with Cecchini A De Angelis A and Gratton R: Suitable targets for the production of a deuterium plasma cloud in a vacuum environment with a laser pulse (N) 1040
Pascalău M: Servoamplifier for the recording of ion current ratios in a two-collector mass spectrometer 738
Pecresse J with Arnould J Blanc M Brochon J Kieffer O and Varloot D: Les instruments de mesure a bord du satellite FR-1 893
Pedersen E: A symmetrical vacuum thermobalance for corrosive atmospheres 1013
Perkins W J: Biomedical instrumentation at the Physics Exhibition 802
Persson B with Blomqvist C E and Forsell J: An apparatus for repeated cleavage of rocksalt crystals in ultra-high vacuum (N) 1127

Pescetti D with Gallinaro G and Meneghetti L: Use of an undamped galvanometer as low frequency bandpass filter lock-in amplifiers (N) 678
Petley B W and Morris K: The effect of the dimensions of an omegatron on its performance 417
Petrescu Ch with Weissmann E and Tarină D: An apparatus with electrostatically driven vibrating condenser for contact potential measurements 426
Petrinović M with Boltezer E and Sedlaček M: A permanent magnet for a nuclear magnetic resonance spectrometer 323
Petrinović M with Brčić I and Galogaža V: A simple automatic magnetic field calibrator 765
Petty R with Creek D M and Jonathan N: A fast sorption pump for the 10–150 mtorr region (N) 582
Pfitzer E K and Turner R: Quartz working with a CO_2 laser (N) 360
Phillips H: A three-colour quantitative schlieren system 413
Piggott M R: A three point bend tester for strong fibres 444
Pike E R with Jackson D A: An automatic scanning Fabry–Pérot etalon using multichannel digital data storage 394
Pike E R Jackson D A Bourke P J and Page D I: Measurement of turbulent velocities from the Doppler shift in scattered laser light 727
Pissanetzky S Manghi E and de Caroni C A: A simple method for determining the orientation of magnetic axes in large single crystals for nuclear quadrupole resonance observations 918
Pitt G D: Hall effect measurements on single crystals at pressures extending to 70 kb 915
Plows G S and Nixon W C: Stroboscopic scanning electron microscopy 595
Pojur A F and Yates B: Magnified interferometric measurements of small displacements (N) 948
Powell B A and King C D: The production of 15 μm liquid hydrogen droplets (N) 670
Presland A E B with Francis H A: A four-ball machine with three wear tracks (N) 1234
Pringle D H and Barnaby C F: Performance of a high sensitivity liquid scintillation whole-body counter (L) 695
Prochazka D B with Fraikor F J and Grotzky V K: A foot-operated electric drive for the rotating–tilting stage of the EM-200 electron microscope (N) 355
Proctor T B: A laser technique for the measurement of aerosols 631
Pummell L J H and Clutterbuck E K: High temperature seal for brittle materials (N) 1233
Putner T with Holland L and Jackson G N: A radio frequency dielectric sputtering system with non-grounded electrodes 32

Raha S: An apparatus to measure the dynamic viscoelasticity of polymer melts 1109
Raja J and Sankaranarayanan P E: A resistance thermometer for measuring air temperatures (N) 150
Raha S Williams M J and Lamb P: Cone and plate rheometer for polymer melts 1113
Ramsay I A with Munro I H: Instrumental response time corrections in flourescence decay measurements (N) 147
Rasmussen K: Use of interference filters with the Unicam SP 1300 calorimeter (N) 886
Rasmussen H and Brovang S: A simple transmission-to-extinction converter (N) 564
Ravestein A A with Vermeer A: A method for the measurement of small shifts of the resonance frequency of a microwave cavity (N) 152
Rayner G H: Flux pattern of spiral tape cores (N) 780
Rayner P J W with Harry J E: A high current mains frequency synchronous switch (N) 570
Read T B: A scanning spectroradiometer (N) 795
Read F H with Imhof R E: A three-aperture electron optical lens for producing an image of variable energy but fixed position 859
Redford R A with Hyde A F: A controlled-temperature cold trap (N) 871
Redman J D: Novel applications of holography 821
Reed S J B: Probe current stability in electron-probe microanalysis (N) 136
Reid G R: An improved method of sealing the compression capillary of a McLeod gauge (N) 60
Reynolds J A: A method of recording pulmonary ventilation 433
Ridgway K with Deer J and Rupp R: A simple and cheap photosensitive transformer bridge for the analysis of powder mixtures (N) 778
Richards R E with Hill H D W: Limits of measurement in magnetic resonance 977
Richardson J T: Q-meter measurements of nickel catalyst beds 456
Rider N E: Meteorological instrumentation I: basic considerations and some recent developments in surface instrumentation 265
Riley G H with Ables J G: A filament current regulator for solid source mass spectrometers 329
Robbie C J and Stoddart C T H: A substrate heater for use in the vacuum deposition of thin films (N) 56
Robertson D H with Eyre B L and Maher D M: Calibration magnification camera constant and image rotations for a Jem 7 electron microscope 851
Robertson S H and Seidman D N: A 0–4 kv pulse amplifier for field ion microscopy (N) 1244
Robinson G D: Fifty years of change in some meteorological instruments 973
Robson M with Dye T G Fursey A and Lloyd G O: Stripping thin oxide films from metals 463
Roe C E and Yates G C: An electronic arrangement suitable for measuring time mean products and squares in fluid turbulence at low frequencies 1185
Roellgen F W with Beckey H D and Krone H: Comparison of tips, thin wires and sharp metal edges as emitters for field ionization mass spectrometry 118
Rogers G L: The production of a lenticular stereogram from a hologram (N) 473
Rollinson R with Lovell S: The measurement of superficial density of thin self-supporting metal films by electron transmission (N) 1032
Romalo D with Nachman M: Simple protecting device for observing cathode operation in a plasma-arc torch (N) 679
Root C B: High temperature sample furnace for the Cary 14R spectrophotometer (N) 683
Rosengren K J with Jaeger J C: Simple photographic equipment for borehole surveying (N) 139
Ross J with Hertel I V: An atomic beam oven with very low associated magnetic field (N) 1245
Rossouw A J with Ho-Tun E: Two types of sample holder for the Phillips PW 1064 sample spinning device used in PW 1050 x-ray diffractometer (N) 151
Rothenstein B F, Kremmer J and Artzner J: The acoustic aspect of the Procopiu effect in a ferromagnetic sample free at one end (N) 960
Routbort J L with Brookes C A and Green wood J H: Tensile apparatus for measurements at very high temperatures (N) 495
Rudd M J: A laser Doppler velocimeter employing the laser as a mixer–oscillator 723
Rudge P T: A plug-in transistorized shunt regulator (N) 493
Rupp R with Deer J and Ridgway K: A simple and cheap photosensitive bridge for the analysis of powder mixtures (N) 778

Rutherford J L with Bossler F C and Franzblau M C: Torsion apparatus for measuring sheer properties of adhesive bonded joints 829
Ryan K R: Some characteristics of a venetian blind particle multiplier used as a detector in the study of ion–molecule reactions (N) 867

de Sa A: A radio-frequency method for determining Curie point temperatures (N) 1136
Samways P R: Optimum noise filter for d.c. measurements (N) 142
Sankaranarayanan P E with Raja J: A resistance thermometer for measuring air temperatures (N) 150
Sanni S A and Hutchison H P: The diaphragm cell method for diffusion measurements at temperatures up to 60°c 1101
Sargent J W with Scholes W E: The automatic averaging of sound pressure levels (N) 1026
Sauer R: Accurate temperature matching in calorimetry (N) 682
Saunders R A: The limits of measurement with mass spectroscopy 1053
Savage J V with Goodspeed M J: An analogue-to-digital converter for chart records 451
Sawley R J with Schumann R H: A capacitance-type displacement meter (N) 885
Sayers M D with Allen L and Jones D G C: An improved intra-cavity reflecting element for gas laser Q control 133
Scarlett B and Todd A C: A split ring annular shear cell for the determination of the shear strength of a powder 655
Scholes R: A hysteresigraph for permanent magnet materials 1016
Scholes W E and Sargent J W: The automatic averaging of sound pressure levels (N) 1026
Schulz S C G: An adiabatic calorimeter for the measurement of the internal energy of water and water vapour 539
Schumann R H and Sawley R J: A capacitance-type displacement meter (N) 885
Scollar I: A simple direct reading susceptibility bridge (N) 781
Scott T E with Koepke B G: A simple apparatus for measuring creep rates in the 10^{-7} min^{-1} range at 77°K (N) 954
Scott G B Springford M and Stockton J R: Use of a magneto-resistor to measure the magnetic field in a superconducting magnet 925
Sedlaček M with Boltezer E and Petronović M: A permanent magnet for a nuclear magnetic resonance spectrometer 323
Seidman D N with Robertson S H: A 0–4 kv pulse amplifier for field ion microscopy (N) 1244
Selby M J with Ibbett R N: A digital recording system for Fourier transform spectrometry 745
Selke W E with Ahrenkiel R K: A simple glass immersion cryostat for low-temperature optical studies (N) 944
Seville A H with Anderson D and Anderson J M: A technique for measuring small, fast changes in resistance 423
Seward R J with Dingley R G: A method of sizing imaged spheres (N) 467
Shamir J and Netzer A: A laboratory distillation column for anhydrous hydrogen fluoride (N) 770
Sharp W B A and Mortimer D: Accurate thermogravimetry in flowing gases 843
Sheih C M with Wyngaard J C: Further studies of the constant temperature hot-wire anemometer (N) 61
Shepherd V with Bernstein W Cole A Coupland J Dubery P and Sweetman D: Methods of measurement and display of a time-varying hydrogen atom energy spectrum of energy between 2 kev and 1 Mev 741
Sidenius G: An oil manometer with continuous electrical readout 657
Sidhu G S and Singh Davinger: A differential expansion holder for kovar parts (N) 883
Sikorski J, Moss J S, Newman P H and Buckley T: A new preparation technique for examination of polymers in the scanning electron microscope 29
Silverman M B with Witte L C Ivins R O and Baker L: An apparatus for obtaining extremely large heat flux densities 555
Simons J P: A simple Dewar for spectroscopic measurements at controlled temperatures down to 77°K (N) 872
Simpson R J: Physical methods of chemical analysis at the Physics Exhibition 801 corr. 1139
Simpson C J S M Bridgman K B and Chandler T R D: A short-duration spark light source (N) 568
Singh Davinder with Sidhu G S: A differential expansion holder for kovar parts (N) 883
Skerrett E J: Temperature programmed controller for an environmental chamber (N) 1242
Smidt J with Langeveld P T M Mehlkopf A F Buckmaster H A and Dering J C: The sensitivity of electron paramagnetic spectrometers using parametric and maser preamplifiers (L) 888
Smith P with Coates L J: A novel application of parallel strip hinges (N) 68
Smith D and Cromey P R: An inexpensive bakeable quadrupole mass spectrometer 523
Smith P W with Grey I E: Accurate determination of lattice parameters on air-sensitive compounds (N) 693
Smith J M with Hughes T G: Still stroboscopic viewing of a ciné record 819
Smith B D with Inall E K: Trace identification for a multi-trace oscilloscope display (N) 959
Smith H with Thomas L H and Meatyard R: A boiling-point method for the determination of low vapour pressure 1119
Smith J A S and Tong D A: An improved super-regenerative spectrometer for nuclear quadrupole resonance spectroscopy 8
Smith J H Vance E R and Wheeler D A: A null-matrix alloy for neutron diffraction (N) 945
Snaith D J C with Klemperer F: Liquid nitrogen trap topper (N) 1232
Sommer G, Jochens P R and Howat D D: Solid state circuitry for a microdifferential thermal analyser 1116
de Soyza A A with Anson M: A low-noise amplifier for indium antimonide infra-red detectors (N) 952
Spencer D H T with Leppard C J: A low-pressure mercury porosimeter for measuring macropores (N) 573
Springford M with Scott G B and Stockton J R: Use of a magnetoresistor to measure the magnetic field in a superconducting magnet 925
Sreedharan C R: An Indian electrochemical ozonesonde 995
Stanley V W Franks A and Lindsey K: A simple ruling engine for x-ray gratings 643
Stebler B with Andersson C G: A tilting device for use at liquid nitrogen temperatures in the JEM series 6 and 7 electron microscopes (N) 1250
Steckelmacher W and Turner D J: Correction to test header arrangement for determining the speed of pumps using an orifice type impact pressure transducer (L) 70
Stedman R: Proposal for a new determination of a standard lattice spacing 1168
Stephen V A with Forrest W W: Analogue circuit for accurate evaluation of small power inputs in microcalorimetry (N) 1024
Stephenson A with Hauptmann Z: A technique for growing ulvöspinel single crystals from the melt (N) 1236
Steptoe B J with Botfield R J and Hill A N: A random access optical fixed store 810
Stevens W N R: A differential ballistic technique for sensitive magnetization measurements on ferromagnets at low temperatures 1188

Stevens G with Thiel R C and van den Berg C B: Mössbauer spectrometry by means of tape recorders 1069
Stock A D with Hardcastle K I: Computer indexing of x-ray and neutron powder diffraction patterns of cubic, tetragonal, orthorhombic and hexagonal structures (N) 951
Stockton J R with Scott G B and Springford M: Use of a magnetoresistor to measure the magnetic field in a superconducting magnet 925
Stoddart C T H with Robbie C J: A substrate heater for use in the vacuum deposition of thin films (N) 56
Stovell J E: Dynamic viewing of high power CO_2 laser modes corr. 156
Stretton J L with Glover G M Hall G and Matheson A J: A magnetostrictive instrument for measuring the viscoelastic properties of liquids in the frequency range 20–100 kHz 383
Stubbs E with Bell C Birkby C and Hutton E: A general purpose delay unit and its application to kinetic flash photolysis spectroscopy (N) 792
Sumner C J: Digital recording mechanism for linear displacements (N) 1237
Sumner G: A diametral extensometer for elevated temperature high strain fatigue 652
Sweetman D with Bernstein W Cole A Coupland J Dubery P and Shepherd V: Methods of measurement and display of a time-varying hydrogen atom energy spectrum of energy between 2 kev and 1 mev 741
Swindell W: Polarization of quartz-iodine tungsten filament lamps (L) 889
Szalay A with Berényi D Varga D Buday I and Varga L: Improvement of the resolution and transmission of a toroid-sector type beta spectrometer (N) 364
Szarka Š with Martišovitš V: An investigation of the energy gain in Bennett's radio-frequency mass spectrometer 326
Szulmayer W: Selenium dioxide hygrometric probes 864

Takano Y with Kanaya K Yamazaki H and Kobayanshi M: Quantitative measurements of electron probes by the shadow protection method and its application to a microfocus x-ray unit 289
Tangerud A with Gjessing D T Holm C and Lanes T: A simple instrument of fine scale structure of temperature and humidity, and hence also the refractive index, in the troposphere 107
Tanner L H: A study of fringe clarity in laser interferometry and holography 517
Tanner L H with Thompson D H: The measurement of the width of a Gaussian light beam 303
Tarină D with Weissmann E and Petrescu Ch: An apparatus with electrostatically driven vibrating condenser for contact potential measurements 426
Tarr C E with Lowe I J: A fast recovery probe and receiver for pulsed nuclear magnetic resonance spectroscopy 320
Tarr C E with Lowe I J: A high-power, untuned radio-frequency transmitter for pulsed nuclear magnetic resonance spectroscopy 604
Taylor M T: Cryogenics at the Physics Exhibition 807
Taylor R W: Statistical analyser with up-dated histogram display 825
Thatcher W J with Fitch R K: A small volume orbitron gauge with stable ion current characteristics 317
Theocaris P S: Radial gratings as moiré gauges 613
Theocaris P S: Curvature distributions defined by frequency modulated amplitude gratings 619
Theuerer H C with Turner P A: A technique for the preparation of thin film coils (N) 969
Thiel R C van den Berg C B and Stevens G: Mossbauer spectrometry by means of tape recorders 1069
Thomas D L: The dipped cathode arc a simple stable radiation source for line reversal temperature measurements (N) 150
Thomas L K: An apparatus for the measurement of the normal and off-normal spectral emissivity of incandescent materials 311
Thomas H W Janes D E and Barnes H A: A probe capillary viscometer 834
Thomas L H Smith H and Meatyard R: A boiling-point method for the determination of low vapour pressure 1119
Thomas G J with Venables J A and Ball D J: An electron microscope liquid helium stage for use with accessories 121
Thompson D H: A tracer-particle fluid velocity meter incorporating a laser 929
Thompson D H and Tanner L H: The measurement of the width of a Gaussian light beam 303
Thurnell D P: Electrical measurement at the Physics Exhibition 804
Tickner A S with White D J: A transmission microscope polariscope for photoelastic analysis 649
Timbrell V: A clock-driven dry aspirator (N) 361
Todd A C with Scarlett B: A split ring annular shear cell for the determination of the shear strength of a powder 655
Tomlinson P with Bullough K Hughes A R W Hudson T Hickinson D and Broomhead P: The Sheffield University v.l.f. experiment on the satellite Ariel 3 77
Tong D A: Reduction of line-shape distortion in super-regenerative spectrometers for nuclear quadrupole resonance 1153
Tong D A: A simple Zeeman modulator for nuclear quadrupole resonance spectroscopy 1162
Tong D A with Smith J A S An improved super-regenerative spectrometer for nuclear quadrupole resonance spectroscopy 8
Turnbull A G: Sa. ıple holders for solution calorimetry (N) 358
Turner R with Pfitzer E K: Quartz working with a CO_2 laser (N) 360
Turner D J with Steckelmacher W: Correction to test header arrangement for determining the speed of pumps using an orifice type impact pressure transducer (L) 70
Turner P A and Theuerer H C: A technique for the preparation of thin film coils (N) 969

Unvala B A with Hill M J and Holt D B: Automatic jet thinning of GaAs for transmission electron microscopy 301

Vance E R with Smith J H and Wheeler D A: A null-matrix alloy for neutron diffraction (N) 945
Van Outryve E J and Henriet-Iserentant C M: Two channel data logger (N) 793
Van Outryve E and Jacobs R: Modulation systems for galvanometer controlled temperature (N) 679
Varga D with Berényi D Buday I Varga L and Szalay A: Improvement of the resolution and transmission of a toroid-sector type beta spectrometer (N) 364
Varloot D with Arnould J Blanc M Brochon J Kieffer O and Pecresse J: Les instruments de mesure a bord du satellite FR-1 893
Venables J A Ball D J and Thomas C J: An electron microscope liquid helium stage for use with accessories 121
Verge C and Datars W R: An electronic spark cutter (N) 1239
Verheyden L Klein K and Kind H: A bakeable and direct joint between a fused quartz tube and a metal tube (N) 145
Vermeer A and Ravestein A A: A method for the measurement of small shifts of the resonance frequency of a microwave cavity (N) 152
Vernon P with Kemplay J R and Vincent C H: The comparison between a special shift register and a scaler for derandomization (L) 694

Vertes P with Nagy A Z: Correction for dry bulk density in measurements with neutron moisture gauges 1097
Vilím F with Gerber R: An automatic compensated torque balance for the measurement of magnetic anisotropy in the broad temperature range from the helium temperature upwards 389
Vincent C H: The comparison between a special shift register and a scaler for derandomization 22
Vincent R K with Hunt G R: Modification to the Perkin–Elmer reflectance attachment for studying powders (N) 470
Vincent C H with Kemplay J R and Vernon P: The comparison between a special shift register and a scaler for derandomization (L) 694
Vicentini V: A method for obtaining a mismatch in moiré observations by means of a diffraction effect (N) 354
Voos M with Leclerc P: Fast infra-red pulse generator (N) 478
Vreaux J M and Marette G: Wavelength dependence of the distribution of relative sensitivity over the photocathodes of RCA photomultipliers type 4440 (N) 668

Wahi R P Bhattachrya D L and Anantharanan T R: A modified technique for preparing disk specimens for transmission electron microscopy (N) 1231
Walker W N with Harris A M and Jackson J H: A heating rate controller for thermoluminescence studies (N) 1134
Wallis P M with Birss R R and Gibbs J I: A cryostat for use with a torque magnetometer down to 4·2°K 15
Wallis D E with Chumbley L and Dyer R F: A triple-axis spectrometer for neutron inelastic scattering 528
Wang H S C: Estimation of small effective gap length beyond recording resolution in magnetic data recording systems (N) 487
Warburton B with Davis S S and Deer J J: A concentric cylinder air turbine viscometer 933
Warren W W and Clark W G: Simple furnace for high temperature nuclear magnetic resonance experiments 1019
Watson B with Franks F: A differential calorimeter for the measurement of heats of solution at high dilutions 940
Weaver R S with Kuehn L A: A system for recording temperatures in the vicinity of liquid surfaces (N) 776
Webster J M: Electromechanical uncapping shutter 813
Webster D S and Lynch L J: A liquid cell cryostat with thermistor amplifier feedback control for use with nuclear magnetic resonance spectrometers (N) 1253
Weintroub S with Bunton G V: A method for the comparison of the intensities of two light beams from a double optical lever system (N) 958
Weissmann E Petrescu Ch and Tarină D: An apparatus with electrostatically driven vibrating condenser for contact potential 426
Wells O C and Bremer C G: Voltage measurement in the scanning electron microscope 902
Wells F H with MacLennon D N: A wide range digitizer for direct coupled analogue signals 284
Wheeler D A with Smith J H and Vance E R: A null-matrix alloy for neutron diffraction (N) 945
Whelan R E with Carden P O Miles W M and Parkes R W: A stationary contacting thermocouple device for measuring the temperature of rapidly moving surfaces 757
Whipps P W with Witts F J: An experimental slow-rate crystal puller for seeded growth from a flux (N) 970
Whitaker A: Shutter attachment for photographically aligning a Weissenberg camera (N) 451
White D J and Tickner A S: A transmission microscope polariscope for photoelastic analysis 649
Whitehead N E with Brooks R R: A fluorimetric attachment for an atomic-absorption spectrophotometer (N) 879
Wignall G D with Cocking S J and McPhee R C: A simple heating arrangement for use in neutron scattering experiments (N) 367
Wilbur-Ham J with Clark B A J: A closed-circuit television system for instrument reading (N) 875
Wilhelmi K A: An internally heated autoclave for work up to 4·5 kb and 1600°c (N) 1240
Wilkinson D L: A simple meter for measurement of low velocities in waterflow (N) 685
Wilkinson W L with Harris J: Self-aligning platens for the Weissenberg rheogoniometer (N) 1030
Williams W T with McLaren K G: Simple automatic magnetic roller gas mixing device (N) 561
Williams M J with Raha S and Lamb P: Cone and plate rheometer for polymer melts 1113
Williamson J B P and Hunt R T: Relocation profilometry 749
Willis J A B: Traversing orifice hot-wire probe pair for use in wall pressure correlation measurements 447
Wilmshurst T H: Further properties of the balance detector electron spin resonance spectrometer (N) 353
Wilson M N: The optimization of magnet windings to produce uniform transverse fields (N) 575
Wilson J F with Bucklow I A: A fascia technique for float-zone metal crystals (N) 363
Winkel R G with Hunt J L: A carbon furnace infra-red source (N) 55
Winney P E: The thickness measurement of thin fluid films by a magnetic reluctance technique 767
Winney P E with Batch B A and Goldring B T: An instrument for measuring the mean surface profile of seal faces 344
Witte L C Silverman M B Ivens R O and Baker L: An apparatus for obtaining extremely large heat flux densities 555
Witts F J and Whipps P W: An experimental slow-rate crystal puller for seeded growth from a flux (N) 970
Wolfendale P C F: Capacitive displacement transducers with high accuracy and resolution 817
Wood C J: A travelling microscope unit with semi-automatic digital output (N) 475
Wood N B: A pneumatically operated 'semi-dynamic' calibrator for pressure transducers (N) 1124
Wyatt D G: The electromagnetic blood flowmeter 1146
Wyngaard J C: Measurement of small-scale turbulence structure with hot wires 1105
Wyngaard J C and Sheih C M: Further studies of the constant temperature hot-wire anemometer (N) 61
Wyon D P with Lidwell O M: A rapid response radiometer for the estimation of mean radiant temperature in environmental studies 534

Yamazaki H with Kanaya K Takano Y and Kobayashi M: Quantitative measurement of electron probes by the shadow projection method and its application to a microfocus x-ray unit 289
Yates B with Pojur A F: Magnified interferometric measurements of small displacements (N) 948
Yates G G with Roe C E: An electronic arrangement suitable for measuring time mean products and squares in fluid turbulence at low frequencies 1185
de Yong J: A microrheometer for tensile testing of wood fibres 1207
Young R S: A new infra-red radiation pyrometer corr. 368
Young S E and Grant E H: Measurement of permittivity of some biological solutions at frequencies below 1 MHz 429

Zalma R Guérin M and Fraissard J: Automaticité de la mesure d'une résistance variable – application à la détermination du niveau d'une colonne de mercure (N) 141

Zeedijk H B with van Zuilichem A G: An electrolytic grinding machine (N) 1023
van Zuilichem A G and Zeedijk H B: An electrolytic grinding machine (N) 1023

Book Reviews

Bunshah R F (ed.): *Techniques of Metals Research Vol. 1, Part 1* 1140
Cassignol E J: *Semiconductors, Vol. II: Linear Circuits* 892
Cassignol E J: *Semiconductors, Vol. III: Non-Linear Circuits* 1140
Corliss R: *Scientific Satellites–(National Aeronautics and Space Administration)* 1044
Dennis N T M and Heppell T A: *Vacuum System Design (High Vacuum Series)* 799
Engel C E: *Photography for the Scientist* 1140
Engineering Equipment Users Association: *Handbook No. 28: Specification and Selection of Data Logging Equipment* 1140
Espe W: *Materials of High Vacuum Technology* 1264
Farley F J M: *Progress in Nuclear Techniques and Instrumentation, Vol.* 3 892
Gray A: *Absolute Measurements in Electricity and Magnetism* 800
Green G W: *The Design and Construction of Small Vacuum Systems* 892
van Heel A C S: *Advancement Optical Techniques* 72
Hoadley H J: *Manual of Oscillography* 72
Holister G S: *Experimental Stress analysis–Principles and Methods* 891
Jenkins R and de Vries J L: *Practical X-ray Spectrometry* 588
Karsa B E F: *Electrical Measuring Instruments and Measurements* 800
Kingslake R: *Applied Optics and Optical Engineering; A comprehensive treatise, Vol. 4, Part 1* 588
Klein G and Zaalberg Van Zelst J J: *Precision Electronics* 799
Kozlov V F: *Photographic Dosimetry of Ionizing Radiations* 588
Lee M A, Easter B and Bell H A: *Tunnel Diodes* 500
Lytel A: *Silicon Controlled Rectifiers* 72
McCrum N G, Read B E and Williams G: *Anelastic and Dielectric Effects in Polymeric Solids* 800
May L: *Spectroscopic Tricks* 1044
Morrison R: *Grounding and Shielding Techniques in Instrumentation* 1044
Neubert H K P: *Strain-gauges–Kinds and Uses* 1264
Parkinson D H and Mulhall B E: *The Generation of High Magnetic fields* 500
Septeir A: *Focusing of charged Particles* 891
Shutt R P: *Bubble and Spark Chambers–Principles and Use–Vols I and II* 800
Szigeti G (ed.): *Proceedings of the International Conference on Luminescence, Budapest 1966* 1264
Thornton P R: *Scanning Electron Microscopy: Applications to Materials and Device Science* 1264
Vakman D E: *Sophisticated Signals and the Uncertainty Principle in Radar* 1140
Whetton R E and Whorlow R W: *Polymer Systems, Deformation and Flow* 800
Wilmshurst T H: *Electron Spin Spectrometers* 891
Yarwood J: *High Vacuum Technique (Theory, practice and Properties of Materials)* 892
Zimmer H G: *Geometrische Optik* 500

PRINTED BY UNWIN BROTHERS LIMITED, WOKING AND LONDON

Performance of a high sensitivity liquid scintillation whole-body counter D H Pringle: C F Barnaby **695**

July 1968

Review Article
Progress in medical instrumentation over the past fifty years D W Hill **697**

Papers
Time dispersion effects in a multiple-beam storage, image tube framing camera D J Bradley and S Majumdar **702**
The response of photographic emulsions to electrons in the energy range 7–60 kev R E Burge, D F Garrard and M T Browne **707**
The resolution of photographic emulsions for electrons in the energy range 7–60 kev R E Burge and D F Garrard **715**
A laser Doppler velocimeter employing the laser as a mixer–oscillator M J Rudd **723**
Measurement of turbulent velocities from the Doppler shift in scattered laser light E R Pike, D A Jackson, P J Bourke and D I Page **727**
Measurement of in-plane surface strain by hologram interferometry A E Ennos **731**
Apparatus for the determination of internal friction and Young's modulus at high frequencies G V Beaton **735**
Servoamplifier for the recording of ion current ratios in a two-collector mass spectrometer M Pascalău **738**
Methods of measurement and display of a time-varying hydrogen atom energy spectrum of energy between 2 kev and 1 MeV W Bernstein, A Cole, J Coupland, P Dubery, V Shepherd and D Sweetman **741**
A digital recording system for Fourier transform spectrometry R N Ibbett and M J Selby **745**
Relocation profilometry J B P Williamson and R T Hunt **749**
Electron probe microanalysis of metal oxides C A Friskney and C W Haworth **753**
A stationary contacting thermocouple device for measuring the temperature of rapidly moving surfaces P O Carden, W M Miles, R W Parkes and R E Whelan **757**
The sensitivity of the thermistor katharometer D J Hayes **761**
A simple automatic magnetic field calibrator I Brčić, V Galogaža and M Petrinović **765**
The thickness measurement of thin fluid films by a magnetic reluctance technique P E Winney **767**
Notes on Experimental Technique and Apparatus
A laboratory distillation column for anhydrous hydrogen fluoride J Shamir and A Netzer **770**
Production of accurate toroidal sections in Pyrex and quartz D A Brown, P J Daly, A E Dangor, R M Dunnett and G J Parkinson **771**
The application of thin layer x-ray fluorescence analysis to oxide composition studies on stainless steels J M Francis and J A Jutson **772**
A coiled quartz crystal microbalance method for measuring diffusion pump backstreaming M A Baker **774**
A system for recording temperatures in the vicinity of liquid surfaces L A Kuehn and R S Weaver **776**
A simple and cheap photosensitive transformer bridge for the analysis of powder mixtures J Deer, K Ridgway and R Rupp **778**
Flux pattern of spira tape cores G H Rayner **780**
A simple direct reading susceptibility bridge I Scollar **781**
A method of making ohmic contacts to p-type silicon crystals A Fernández **782**
The measurement of the deflection of an oscillating bar by a millimetre wave interferometer E Hotston **783**
A simplified equation for calculation of small temperature difference from resistance thermometer measurements R D Clark **785**
A simple device for equivalent recording of all reflections in a higher layer Weissenberg photograph G K Ambady **787**
A gallium arsenide laser array for communications F E Birbeck **788**
Use of a commercial electric microbalance for highly sensitive magnetic torque measurements J Bransky, A A Hirsch and I Bransky **790**
A general purpose delay unit and its application to kinetic flash photolysis spectroscopy C Bell, C Birkby, E Hutton and E Stubbs **792**
Two channel data logger E J Van Outryve and C M Henriet-Iserentant **793**
Optimum output coupling of gas laser light from inhomogeneously broadened lines L Allen **794**
A scanning spectroradiometer T B Read **795**

Book Reviews 799

August 1968

Physics Exhibition
Physical methods of chemical analysis R J Simpson **801**
Biomedical instrumentation W J Perkins **802**
Electrical measurement D P Thurnell **804**
Optics A E Ennos **805**
Cryogenics M T Taylor **807**
Nuclear radiation measurement R K Barnes **808**
A random access optical fixed store R J Botfield, A N Hill and B J Steptoe **810**
Track-to-train communication of a binary coded telegram H H Ogilvy **811**
Electromechanical uncapping shutter J M Webster **813**
A fluorescence trace detector for on-line contamination monitoring P Cowlin and R S Coomber **815**
Capacitive displacement transducers with high accuracy and resolution P C F Wolfendale **817**
Still stroboscopic viewing of a ciné record T G Hughes and J M Smith **819**
The proton scattering microscope R G Livesey and G Butcher **820**
Novel applications of holography J D Redman **821**
Measurement of the mass flow rate to airborne powdered material in a duct M J Parkinson **823**
Statistical analyser with up-dated histogram display R W Taylor **825**
Optical pattern classification S Holden **827**

Papers
Torsion apparatus for measuring shear properties of adhesive bonded joints F C Bossler, M C Franzblau and J L Rutherford **829**
A probe capillary viscometer H W Thomas, D E Janes and H A Barnes **834**
A platinum resistance thermometer calibration between 2°K and 273·15°K Chan Yet-Chong and A M Forrest **839**
Accurate thermogravimetry in flowing gases W B A Sharp and D Mortimer **843**

A ligand-ENDOR spectrometer E R Davies and J P Hurrell **847**
Calibration of magnification, camera constant and image rotations for a Jem 7 electron microscope B L Eyre, D M Maher and D H Robertson **851**
Laser beam power control device L R Evans and C Grey Morgan **856**
A three-aperture electron optical lens for producing an image of variable energy but fixed position R E Imhof and F H Read **859**
An automatic recording cell counter for monitoring growing populations of unicellular micro-organisms K J Adams **861**
Selenium dioxide hygrometric probes W Szulmayer **864**

Notes on Experimental Technique and Apparatus
Some characteristics of a venetian blind particle multiplier used as a detector in the study of ion–molecule reactions K R Ryan **867**
An x-ray diffraction camera for fast recording of three-dimensional data S Arahamsson, S Aleby and J Innes **869**
A controlled-temperature cold trap A F Hyde and R A Redford **871**
A simple Dewar for spectroscopic measurements at controlled temperatures down to 77°K J P Simons **872**
The energy of the E, G, H and I_a conversion lines of the Th B β spectrum M Antony **873**
A simple hot wire anemometer probe E G Hauptmann **874**
A closed-circuit television system for instrument reading B A J Clark and J Wilbur-Ham **875**
A back-reflection focusing camera KPF-150 for x-ray structural analysis of polycrystals G V Davydov **876**
The geometry of the instrumental x-ray diffraction line width in a back-reflection focusing camera with the point source displaced from the focusing circle G V Davydov **877**
The correction for photon 'pile-up' in the measurement of radiative lifetimes P B Coates **878**
A fluorimetric attachment for an atomic-absorption spectrophotometer R R Brooks and N E Whitehead **879**
The accuracy and repeatability of volt-ampere measurements on electrical sheet steel at high flux densities A E Drake **881**
A simple, inexpensive projectile velocity gauge C A Calder **882**
A differential expansion holder for kovar parts G S Sidhu and Davinder Singh **883**
A thermally operated displacement transducer V B Gerard **884**
A capacitance-type displacement meter R H Schumann and R J Sawley **885**
Use of interference filters with the Unicam SP 1300 colorimeter Kj Rasmussen **886**

Letters to the Editor
The sensitivity of electron paramagnetic spectrometers using parametric and maser preamplifiers P T M Langeveld, A F Mehlkopf and J Smidt: H A Buckmaster and J C Dering **888**
Polarization of quartz-iodine tungsten filament lamps W Swindell **889**

Book Reviews 891

September 1968

Review Articles
Les instruments de mesure a bord du satellite FR-1 J Arnould, M Blanc, J Brochon, O Kieffer, J Pecresse et D Varloot **893**

Papers
Voltage measurement in the scanning electron microscope O C Wells and C G Bremer **902**
Diffraction measurements with the electron microscope A L Mackay **907**
Single crystal measurements and stress difference in solid pressure-transmitting media J Lees and J H McCartney **911**
Hall effect measurements on single crystals at pressures extending to 70 kb G D Pitt **915**
A simple method for determining the orientation of magnetic axes in large single crystals for nuclear quadrupole resonance observations S Pissanetzky, E Manghi and C A de Caroni **918**
A solid-state linear ramp generator for use in crystal growth by liquid epitaxy A Broadbent **921**
Control system for induction heated floating-zone refining G D King **923**
Use of a magnetoresistor to measure the magnetic field in a superconducting magnet G B Scott, M Springford and J R Stockton **925**
A tracer-particle fluid velocity meter incorporating a laser D H Thompson **929**
A concentric cylinder air turbine viscometer S S Davis, J J Deer and B Warburton **933**
A hand-held dynamic strain gauge R S Jackson **937**
A differential calorimeter for the measurement of heats of solution at high dilutions F Franks and B Watson **940**

Notes on Experimental Technique and Apparatus
A simple glass immersion cryostat for low-temperature optical studies R K Ahrenkiel and W E Selke **944**
A null-matrix alloy for neutron diffraction J H Smith, E R Vance and D A Wheeler **945**
A technique for the production of transparent, electrically conducting tin oxide films on glass substrates R G Livesey, E Lyford and H Moore **947**
Electrophoretic deposition of luminescent powder R G Livesey and E Lyford **948**
Magnified interferometric measurements of small displacements A F Pojur and B Yates **948**
A marker for a frequency swept nuclear magnetic resonance or pure quadrupole resonance spectrometer L Guibé and M Berteloot **950**
Computer indexing of x-ray and neutron powder diffraction patterns of cubic, tetragonal, orthorhombic and hexagonal structures K I Hardcastle and A D Stock **951**
Compact version of the ball and socket ultra-high vacuum valve M P Hill and A H Moore **952**
A low-noise amplifier for indium antimonide infra-red detectors M Anson and A A de Soyza **952**
A simple apparatus for measuring creep rates in the 10^{-7} min^{-1} range at 77°K B G Koepke and T E Scott **954**
Small globe thermometers E N Hey **955**
A method for the comparison of the intensities of two light beams from a double optical lever system G V Bunton and S Weintroub **958**
Trace identification for a multi-trace oscilloscope display E K Inall and B D Smith **959**
The acoustic aspect of the Procopiu effect in a ferromagnetic sample free at one end B F Rothenstein, J Kremmer and J Artzner **960**
A buffer (power amplifier) for driving pen recorders G R Nicol and R Green **962**
A simple device for T_1 measurements on a nuclear magnetic resonance spectrometer by adiabatic rapid passage J A Glasel **963**
All-glass recording membrane manometer V Chytry and D Lím **964**

A method of synchronizing the frequency sweep of a nuclear resonance spectrometer to the memory scan of a computer of average transients P S Allen and L W Johnson **966**
A mobile calibrator for intermediate range vacuum gauges G D Arney Jr and W F Henderson **967**
A particularly simple and inexpensive high vacuum lead-through J B McKinnon **969**
A technique for the preparation of thin film coils P A Turner and H C Theuerer **969**
An experimental slow-rate crystal puller for seeded growth from a flux F J Witts and P W Whipps **970**

A method of measuring vibratory displacements in terms of a light wavelength J L Goldberg **971**

Abridges Notes 972

October 1968

Review Articles
Fifty years of change in some meteorological instruments G D Robinson **973**
Limits of measurement in magnetic resonance H D W Hill and R E Richards **977**

Papers
A self-balancing line-reversal pyrometer P E English and S S Hitchcock **984**
Holography with scatter plates J W C Gates **989**
An Indian electrochemical ozonesonde C R Sreedharan **995**
Absolute intensity calibration of a grazing-incidence spectrograph in the wavelength region 10–120 Å F J Morgan, A. H. Gabriel and M J Barton **998**
Calibration of infra-red gas analysers for use with carbon dioxide B J Legg and K J Parkinson **1003**
A simple ultra-violet sensor and integrating recorder for long-term field operation P B Harris **1007**
An intermittent traversing gear for small wind tunnels R Foster and B R Moffitt **1011**
A symmetrical vacuum thermobalance for corrosive atmospheres E Pedersen **1013**
A hysteresigraph for permanent magnet materials R Scholes **1016**
Simple furnace for high temperature nuclear magnetic resonance experiments W W Warren Jr and W G Clark **1019**

Notes on Experimental Technique and Apparatus
On the calibration of laser-cone callorimeters F Hillenkamp **1022**
An electrolytic grinding machine A G van Zuilichem and H B Zeedijk **1023**
Analogue circuit for accurate evaluation of small power inputs in microcalorimetry W W Forrest and V A Stephen **1024**
Attachments to the Stanton thermobalance for combined thermogravimetric and differential thermal analysis M D Karkhanavala, V V Desphande and S H Daroowala **1025**
The automatic averaging of sound pressure levels W E Scholes and J W Sargent **1026**
A modified Kê torsional pendulum for stress and strain relaxation measurements R Blackwell and R Carey **1029**
Self-aligning platens for the Weissenberg rheogoniometer J Harris and W L Wilkinson **1030**
High flow-rate calorimeter for ion beam intensity measurements E Hara **1032**
The measurement of superficial density of thin self-supporting metal films by electron transmission S Lovell and E Rollinson **1032**
Necessity of phase reference in Langmuir probe analysis of a positive column containing moving striations M G Drouet and G G Cloutier **1035**
Selected area replication A E King **1036**
Push–pull fatigue modifications to a Hounsfield tensometer A E King **1038**
Initial susceptibility and magnetic after-effect measurements with the aid of a Förster probe H Figiel, K Krop and J Mizia **1039**
Suitable targets for the production of a deuterium plasma cloud in a vacuum environment with a laser pulse A Cecchini, A De Angelis, R Gratton and F Parlange **1040**

Abridged Notes 1043

Book Reviews 1044

November 1968

Review Articles
Navigational instruments: progress during the last fifty years C R Milne **1045**
The limits of measurement with mass spectroscopy R A Saunders **1053**

Papers
Spectrophotometric studies of ultra low loss optical glasses I: single beam method K C Kao and T W Davies **1063**
Mössbauer spectrometry by means of tape recorders R C Thiel, C B van den Berg and G Stevens **1069**
Retarding field scanning electron microscopy R S Paden and W C Nixon **1073**
Pole piece saturation in magnetic electron lenses M Bauer **1081**
An electrical analogy for nonlinear fields J Baturic Rubčic **1090**
Correction for dry bulk density in measurements with neutron moisture gauges A Z Nagy and P Vértes **1097**
The diaphragm cell method for diffusion measurements at temperatures up to 60°c S A Sanni and H P Hutchison **1101**
Measurement of small-scale turbulence structure with hot wires J C Wyngaard **1105**
An apparatus to measure the dynamic viscoelasticity of polymer melts S Raha **1109**
Cone and plate rheometer for polymer melts S Raha, M J Williams and P Lamb **1113**
Solid state circuitry for a microdifferential thermal analyser G Sommer, P R Jochens and D D Howat **1116**
A boiling-point method for the determination of low vapour pressure L H Thomas, H Smith and R Meatyard **1119**

Notes on Experimental Technique and Apparatus
Orienting and polishing single crystals for ultrasonic measurements T Ochs **1122**
Scanning electron microscopy of materials containing water without a refrigerated stage J D Cross and P M Cross **1123**
A pneumatically operated 'semi-dynamic' calibrator for pressure transducers N B Wood **1124**
An apparatus for repeated cleavage of rocksalt crystals in ultra-high vacuum C-E Blomqvist, J Forsell and B Persson **1127**
A proportioning temperature controller using thyristors J S Huebner and L J Bruner **1128**
An apparatus for accurately projecting a drop of known size with a given velocity W L Dennis **1130**

The thermal response time of long uniform thermal conductivity specimens R S Crisp **1131**
A versatile high-voltage pulse generator W G Chadband **1133**
A heating rate controller for thermoluminescence studies A M Harris, J H Jackson and W N Walker **1134**
A radio-frequency method for determining Curie point temperatures A de Sa **1136**
Use of field modulation with boxcar integrator to measure relaxation time in electron spin resonance experiments R Isaacson **1137**

Corrigendum
Physical methods of chemical analysis R J Simpson **1139**

Book Reviews 1140

December 1968

Review Articles
The development of astronomical instrumentation during the past fifty years P B Fellgett **1141**
The electromagnetic blood flowmeter D G Wyatt **1146**

Papers
Reduction of line-shape distortion in super-regenerative spectrometers for nuclear quadrupole resonance D A Tong **1153**
A simple Zeeman modulator for nuclear quadrupole resonance spectroscopy D A Tong **1162**
Effect of detector response time on the distortion of spectral peaks of Gaussian shape G J Butterworth **1165**
Proposal for a new determination of a standard lattice spacing R Stedman **1168**
A confocal interferometer for pointing on coherent sources J W C Gates and S J Bennett **1171**
The application of Edser–Butler fringes to measurement of small fibre diameters G J Curtis **1175**
A low energy scanned electron beam potential probe J P Flemming **1179**
Irradiation vessel for high temperatures and pressures W R Marsh **1183**
An electronic arrangement suitable for measuring time mean products and squares in fluid turbulence at low frequencies C E Roe and G G Yates **1185**
A differential ballistic technique for sensitive magnetization measurements on ferromagnets at low temperatures W N R Stevens **1188**
The measurement of magnetization using Hall probes D J Craik **1193**
A differential thermistor gauge for macroscopic velocity measurements in rarefied gases D G Barbee and G H Endrud **1197**
Theoretical frequency response of stagnation-region thin-film thermometers A G Fabula **1200**
A microrheometer for tensile testing of wood fibres J de Yong **1207**
Thin-film gauges for the measurement of velocity or skin-friction in air, water or blood B J Bellhouse and F H Bellhouse **1211**
A timing device for the measurement of damping capacity in vibrating samples L Molyneux **1214**
A versatile analogue circuit based on a novel method of division D J Herrell **1217**
Automatic measurement of nanosecond random time-lags K D Metzmacher and J E Brignell **1219**
Fast measurement of short time intervals P B Coates **1223**
Application of thermisters to optical pyrometry and temperature control C N Owston **1228**

Notes on Experimental Technique and Apparatus
A modified technique for preparing disk specimens for transmission electron microscopy R P Wahi, D L Bhattacharya and T R Anantharaman **1231**
Liquid nitrogen trap topper F Klemperer and D J C Snaith **1232**
High temperature seal for brittle materials L J H Pummell and E K Clutterbuck **1233**
A four-ball machine with three wear tracks H A Francis and A E B Presland **1234**
A technique for growing ulvöspinel single crystals from the melt Z Hauptman and A Stephenson **1236**
Digital recording mechanism for linear displacements C J Sumner **1237**
An electronic spark cutter C Verge and W R Datars **1239**
An internally heated autoclave for work up to 4·5 kb and 1600°c K A Wilhelmi **1240**
Temperature programmed controller for an environmental chamber E J Skerrett **1242**
A 0–4 kv pulse amplifier for field ion microscopy S H Robertson and D N Seidman **1244**
An atomic beam oven with very low associated magnetic field I V Hertel and J Ross **1245**
Measurement of dense filters with a Cary 14R spectrophotometer B A J Clark **1246**
A simple n.m.r. frequency sweep circuit P C Lanchester **1248**
A quasistatic hysteresis loop tracer J Mastner **1249**
A tilting device for use at liquid nitrogen temperature in the JEM series 6 and 7 electron microscopes C G Andersson and B Stebler **1250**
An integral design, rotating-anode electropolishing unit S Nichols **1251**
The experimental determination of damping factor by the decaying amplitude method L Molyneux **1252**
A liquid cell cryostat with thermistor amplifier feedback control for use with nuclear magnetic resonance spectrometers D S Webster and L J Lynch **1253**
Modifications to a high-temperature furnace attachment for single-crystal x-ray work N H Brett **1254**
Thermoelectric cooling device for image intensifiers D McMullan and M Oliver **1255**
Calibration of pole tips suitable for a magnetic balance R H Martin and G J Hill **1257**

Corrigendum
Small globe thermometers E N Hey **1260**

Letters to the Editor
Measurement of frequency by the quadra electrometer J K Choudhury and S N Bhattacharyya **1261**
Coherent amplifier design P C G Danby and V B Gerard **1262**

Subject Index 1265
Abridged Notes Index 1274
Author Index 1275
Book Reviews Index 1288